

Keywords Index

- A**
AA 6061-T651; 33 (4), 441-448
abnormality; 33 (6), 653-657
abundance; 33 (3), 263-269
aculeus; 33 (3), 247-254
Aedes aegypti; 33 (1), 43-49
AFLP; 33 (5), 499-508
agarwood; 33 (4), 405-410
agricultural byproduct; 33 (6), 717-724
Agrobacterium-mediated transformation; 33 (1), 23-32
alkali and acid cleaning; 33 (4), 431-440
alpha track; 33 (5), 609-616
altitudinal belts; 33 (6), 625-632
anomalous N-Sn eutectic; 33 (2), 209-214
ant; 33 (2), 151-161
anti fungi; 33 (4), 425-430
anti-allergic activity; 33 (3), 301-304
anti-diabetes mellitus; 33 (4), 405-410
anti-HIV-1 integrase activity; 33 (6), 693-697
anti-hyperglycemic activity; 33 (4), 405-410
antimicrobial characteristics; 33 (5), 493-498
antioxidant activity; 33 (5), 509-515
antioxidant; 33 (4), 389-395
apoptosis; 33 (5), 487-492
Artificial Neural Network; 33 (5), 531-538
autoclaved aerated concrete; 33 (5), 555-563
axial flow combine harvester; 33 (2), 221-225
Azadirachta excelsa; 33 (1), 43-49
- B**
Bacillus subtilis; 33 (1), 1-8
batch culture; 33 (4), 379-387
benthic fauna; 33 (3), 341-348
BER; 33 (3), 335-340
biodiesel; 33 (1), 79-86
biodiversity; 33 (3), 341-348
biomass; 33 (3), 305-313; 33 (6), 625-632
bioreactor; 33 (5), 539-544
bioresource; 33 (3), 349-354
biosorption; 33 (6), 725-732
bivalve; 33 (1), 107-115
black tiger shrimp; 33 (1), 1-8
blocking resolution; 33 (4), 459-460
bone; 33 (6), 617-623
Brahmi; 33 (2), 193-199
brown grease; 33 (5), 525-530
BS11; 33 (1), 1-8
bulb turbine; 33 (1), 51-60
- C**
Campylobacter jejuni; 33 (5), 493-498
carbon credits; 33 (3), 305-313
caspase; 33 (5), 487-492
cavitation; 33 (1), 51-60
cellular pathway; 33 (2), 121-127
cellulose fibers; 33 (4), 461-467
cereal milk; 33 (4), 389-395
CFU-F (colony-forming efficiency); 33 (2), 129-134
Chang Daeng; 33 (6), 659-663
Channa striatus; 33 (6), 665-670; 33 (6), 671-677
characterization; 33 (6), 717-724
chemical pretreatment; 33 (4), 397-404; 33 (6), 725-732
Cicer arietinum; 33 (3), 291-294
Citrus maxima (Burm.) Merrill; 33 (5), 499-508
clay; 33 (5), 599-607
cleaning in place; 33 (4), 431-440
CNC; 33 (4), 441-448
CO₂ mitigation; 33 (3), 305-313; 33 (6), 705-715
coagulation; 33 (6), 699-703
coastal vulnerability index; 33 (4), 469-476

co-benefits; 33 (6), 705-715
 cockle; 33 (3), 295-300
 coconut shell and coir; 33 (3), 349-354
 coconut water; 33 (4), 379-387; 33 (6), 653-657
Cocos nucifera; 33 (6), 617-623
 coir dust; 33 (6), 717-724
 common wild rice; 33 (6), 685-692
 competition; 33 (6), 685-692
 composites; 33 (4), 461-467
 computational fluid dynamics; 33 (1), 51-60
 constitutive model; 33 (3), 325-334
 construction dispute; 33 (5), 565-573
 contention resolution; 33 (4), 459-460
 copepod; 33 (6), 641-651
 correlation coefficient; 33 (4), 365-368
 cow; 33 (6), 679-683
 crude palm oil; 33 (1), 79-86; 33 (6), 705-715
 Cu²⁺ ions; 33 (6), 725-732
 CYP; 33 (4), 411-417
 cytochrome P450; 33 (4), 411-417
 cytokinin; 33 (6), 653-657

D

daily food uptake; 33 (6), 665-670
 dental pulp cells; 33 (2), 129-134
 deterioration; 33 (2), 181-192
 development; 33 (1), 43-49
 developmental stage; 33 (2), 193-199
 dielectrophoresis; 33 (5), 585-597
 dilatation dissipation; 33 (1), 51-60
 dissimilar joint; 33 (4), 441-448
 distribution; 33 (3), 263-269; 33 (6), 633-640
 diversity; 33 (2), 151-161; 33 (6), 633-640
 drought tolerance; 33 (2), 135-142
 drum drying; 33 (1), 33-41
 drying aid; 33 (1), 33-41

E

early maturing soybean; 33 (4), 365-368
 earthquake precursor; 33 (5), 609-616
 earthquake; 33 (3), 355-364
 efficiency; 33 (5), 531-538
 electron microscopy; 33 (2), 121-127
 electrospinning; 33 (3), 315-323
 embryogenic callus; 33 (6), 659-663
 enamel softening; 33 (4), 419-423
 ensiled pineapple waste; 33 (3), 281-289
Enterococcus faecium; 33 (1), 9-14
 environment; 33 (1), 107-115
 enzymatic; 33 (4), 389-395
 epiphytic bryophytes; 33 (6), 625-632
 esterification; 33 (5), 525-530
 Estuarine clam; 33 (1), 107-115
 ethanol productivity; 33 (2), 163-170
 ethanol; 33 (1), 79-86
 ethyl-*p*-methoxycinnamate; 33 (4), 411-417

evolution; 33 (3), 247-254
 exopolysaccharide; 33 (4), 379-387
 extending; 33 (2), 171-179
 extension; 33 (2), 181-192
 extraction; 33 (5), 509-515; 33 (5), 517-523; 33 (6), 717-724

F

factorial design; 33 (5), 525-530
 fecundity; 33 (6), 671-677
 feeding scheme; 33 (6), 665-670
 fermentation; 33 (4), 379-387
 fermented shrimp paste; 33 (4), 419-423
 fertility; 33 (1), 117-120
 fiber; 33 (3), 315-323
 filtration; 33 (3), 315-323
 finite element analysis; 33 (1), 69-78
 fish blood; 33 (4), 369-378
 fish health; 33 (4), 369-378
 flexible coupling; 33 (1), 61-68
 flood control; 33 (2), 227-235
 fluidization; 33 (5), 539-544
 follicle stimulating hormone; 33 (6), 679-683
 foxtail millet bran; 33 (5), 509-515
 FPGA; 33 (2), 215-219
 fractures; 33 (2), 237-246
 frequency spectra; 33 (1), 61-68
 Friction stir welding (FSW); 33 (4), 441-448
 fruit flies; 33 (3), 247-254
 fruit peel; 33 (6), 725-732

G

gamma-ray spectrometer; 33 (2), 215-219
 gel fraction; 33 (2), 201-207
 genetic diversity; 33 (5), 499-508
 geophysics; 33 (2), 237-246
 geothermal; 33 (3), 305-313
 GIS; 33 (4), 469-476
 β -(1,3/1,6)-glucan; 33 (2), 143-149
 β -glucosidase; 33 (1), 23-32
 glucose uptake; 33 (4), 405-410
 glycerol recovering; 33 (6), 699-703
 GMS; 33 (3), 305-313
 G-R relationship; 33 (3), 355-364
 grain breakage; 33 (2), 221-225
 green seaweeds; 33 (5), 575-583
 Gulf of Thailand; 33 (1), 15-22; 33 (6), 641-651

H

halloysite characterisation; 33 (5), 599-607
 hardening soil model; 33 (3), 325-334
 heifer; 33 (6), 679-683
 herbal-drug interaction; 33 (4), 411-417
 high rockfill dam; 33 (3), 325-334
 high temperature; 33 (5), 555-563
 histology; 33 (1), 43-49
 host fruit relations; 33 (3), 247-254

HPLC; 33 (2), 193-199; 33 (3), 255-261
hydroponics; 33 (3), 255-261

I

IC Engine; 33 (5), 545-554
indigestible polysaccharides; 33 (5), 517-523
indirect selection; 33 (4), 365-368
instant tamarind juice; 33 (1), 33-41
interdigitated electrodes; 33 (5), 585-597
interleukin-1 beta; 33 (5), 487-492
inverse theory; 33 (4), 477-485
ISI; 33 (3), 335-340

J

JIT; 33 (1), 101-106

K

Kabuli chickpea; 33 (3), 291-294
Kaempferia galanga L.; 33 (4), 411-417
Kamphaeng Saen beef cattle; 33 (6), 679-683
Kanchanaburi; 33 (3), 355-364
Kangsom; 33 (4), 419-423
Khanom; 33 (1), 15-22; 33 (6), 641-651
Khanom-Mu Ko Thale Tai National Park; 33 (6), 633-640
Khlong Marui Fault Zone; 33 (5), 609-616
kinetics; 33 (5), 539-544
Kung Krabaen Bay; 33 (3), 341-348

L

lactic acid bacteria; 33 (4), 379-387
Lactobacillus confusus; 33 (4), 379-387
larviculture; 33 (6), 665-670; 33 (6), 671-677
LEAP; 33 (3), 305-313
least-cost energy planning; 33 (6), 705-715
leukemia; 33 (5), 487-492
lignocellulosic biomass; 33 (4), 397-404
linear equalization; 33 (3), 335-340
linear switched reluctance motor; 33 (1), 69-78
longevity preparation; 33 (6), 693-697
Loog-pang; 33 (2), 163-170
lowland rice; 33 (6), 685-692
lymphoid organ; 33 (2), 121-127

M

mandible; 33 (6), 617-623
mangosteen; 33 (3), 263-269
mangrove; 33 (1), 15-22
marine algae; 33 (5), 575-583
marine fungi; 33 (1), 15-22
MARKAL; 33 (6), 705-715
mathematical model; 33 (4), 431-440
mechanical milling; 33 (2), 209-214
mechanism; 33 (5), 545-554
Meretrix casta; 33 (1), 107-115
methanogenesis; 33 (5), 539-544
methyl ester; 33 (5), 525-530

microhardness; 33 (4), 419-423
micropropagation; 33 (6), 659-663
microsome; 33 (4), 411-417
microwave; 33 (1), 79-86
MIMO; 33 (3), 335-340
mineralization; 33 (2), 129-134
misalignment; 33 (1), 61-68
MMSE; 33 (3), 335-340
Mo Ko Thale-tai; 33 (6), 641-651
modified atmosphere packaging; 33 (2), 171-179;
33 (2), 181-192
monotonic; 33 (1), 117-120
Mooney viscosity; 33 (4), 425-430
mortality; 33 (1), 117-120
mouth development; 33 (6), 671-677
mussel; 33 (2), 171-179

N

native chicken; 33 (1), 9-14
natural cubic spline; 33 (1), 117-120
natural rubber; 33 (4), 425-430
near-surface object; 33 (4), 477-485
neural network; 33 (1), 87-94
nutrient digestibility; 33 (3), 281-289
nutrient utilization; 33 (3), 271-280
nutritional composition; 33 (5), 575-583

O

oil palm; 33 (6), 653-657
oily sludge; 33 (6), 699-703
operating factors; 33 (2), 221-225
optical burst switching; 33 (4), 459-460
optical circuit switching; 33 (4), 459-460
optimal draining ratio; 33 (4), 431-440
Oregano bract essential oil; 33 (5), 531-538
osteoporosis; 33 (6), 617-623

P

palm oil sludge; 33 (3), 271-280
pangola hay; 33 (3), 281-289
pasteurized milk; 33 (4), 431-440
path coefficient analysis; 33 (4), 365-368
Pectinexâ Ultra SP-L; 33 (4), 389-395
Penaeus monodon; 33 (1), 1-8; 33 (2), 121-127
permanent teeth; 33 (2), 129-134
pesticide; 33 (3), 349-354
pHELLSGATE8; 33 (1), 23-32
phosphorus; 33 (6), 685-692
physical process vulnerability; 33 (4), 469-476
physical properties; 33 (4), 461-467
physicochemical properties; 33 (5), 575-583
phytochemical screening; 33 (6), 717-724
phytoplankton; 33 (5), 585-597
pipeline ADC; 33 (2), 215-219
plant resistant; 33 (3), 291-294
plant tissue; 33 (3), 255-261

plasticity retention index; 33 (4), 425-430
 pocket PC; 33 (2), 215-219
 pod borer; 33 (3), 291-294
 polyetherimide; 33 (3), 315-323
 polypropylene fiber; 33 (5), 555-563
 population; 33 (1), 107-115; 33 (1), 117-120
 position determination; 33 (1), 87-94
 prebiotic; 33 (5), 517-523
 prediction; 33 (5), 531-538
 primary teeth; 33 (2), 129-134
 principal component analysis; 33 (1), 87-94
 probiotic bacterium; 33 (1), 1-8
 probiotics; 33 (1), 9-14
 proliferation; 33 (2), 129-134
 public works; 33 (5), 565-573
 pulse height analysis; 33 (2), 215-219
 pummelo; 33 (5), 499-508
 PV; 33 (3), 305-313

R

radon in soil gas; 33 (5), 609-616
 rat adipocytes; 33 (4), 405-410
 RBL-2H3 cells; 33 (3), 301-304
 RC model; 33 (5), 585-597
 reactive monomer; 33 (2), 201-207
 real-time monitoring; 33 (2), 227-235
 reinforced concrete; 33 (1), 95-100
 relative water content; 33 (2), 135-142
 reservoir characterization; 33 (2), 237-246
 response surface method; 33 (4), 389-395
Rhynchostylis rubrum; 33 (6), 659-663
 RNA interference; 33 (1), 23-32
 route of vaccination; 33 (2), 143-149
 rubber plantation; 33 (2), 151-161
 rumen ecology; 33 (3), 271-280
 ruminal fermentation; 33 (3), 281-289

S

saccharification; 33 (2), 163-170; 33 (4), 397-404
 sample preparation; 33 (3), 255-261
 sampling methods; 33 (2), 151-161
 Samut Sakhon coastal zone; 33 (4), 469-476
 saponins; 33 (2), 193-199
 seagrass; 33 (3), 341-348
 seasonal variation; 33 (2), 193-199
 seaweed; 33 (6), 633-640
 seismic hazard; 33 (3), 355-364
 seismic tomography; 33 (4), 477-485
 sensitivity analysis; 33 (1), 69-78
 sensors; 33 (2), 227-235
 serotypes; 33 (5), 493-498
 service level agreement; 33 (4), 459-460
 shear dilatancy; 33 (3), 325-334
 shelf-life; 33 (2), 171-179; 33 (2), 181-192
 shrimp farming; 33 (3), 341-348
 sibling species; 33 (3), 247-254

simulation; 33 (3), 325-334; 33 (5), 545-554
 single-and mixed-cropping systems; 33 (3), 263-269
 siRNA; 33 (1), 23-32
 snake head fish; 33 (6), 665-670; 33 (6), 671-677
 socio-economic vulnerability; 33 (4), 469-476
 sodium chloride; 33 (4), 369-378
 solid state transformation; 33 (2), 209-214
 Southern Thai native cattle; 33 (3), 281-289
 southern Thailand plants; 33 (5), 517-523
 southern Thailand; 33 (2), 151-161; 33 (5), 599-607
 soybean; 33 (4), 365-368
 Sri Sawat Fault Zone; 33 (3), 355-364
 SSM 356; 33 (4), 441-448
 start of feeding; 33 (6), 671-677
 starvation; 33 (6), 665-670
 stoichiometric conditions; 33 (5), 545-554
Streptococcus iniae; 33 (2), 143-149
 stress indicator; 33 (4), 369-378
 stress reduction; 33 (4), 369-378
 structural topology optimization; 33 (1), 95-100
 submerged fermentation; 33 (2), 163-170
 supercritical extraction; 33 (5), 531-538
 superovulation; 33 (6), 679-683
 synthetic waste water; 33 (5), 539-544

T

tactile sensing; 33 (1), 87-94
 tamarind powder; 33 (1), 33-41
 tamarind; 33 (1), 33-41
tdh; 33 (3), 295-300
 temperature; 33 (4), 419-423
 termiticide; 33 (3), 349-354
 Thai native cattle; 33 (3), 271-280
 Thai plants; 33 (6), 693-697
 Thai waters; 33 (6), 641-651
 Thailand; 33 (5), 565-573; 33 (6), 625-632; 33 (6), 633-640
 thermal properties; 33 (2), 201-207
 thermoplastic starch; 33 (4), 461-467
 Three Pagodas Fault Zone; 33 (3), 355-364
 thrips; 33 (3), 263-269
 tilapia; 33 (2), 143-149
 total phenolic content; 33 (5), 509-515
 toxicity; 33 (1), 43-49
toxR; 33 (3), 295-300
 TPM; 33 (1), 101-106
 TQM; 33 (1), 101-106
 travelling wave; 33 (5), 585-597
 traveltime; 33 (4), 477-485
trh; 33 (3), 295-300
 tropical rain forest; 33 (6), 625-632
 tumor necrosis factor-alpha; 33 (5), 487-492
 turbulent; 33 (1), 51-60

U

Ulva spp.; 33 (5), 575-583
 upland rice; 33 (6), 685-692

urethane acrylate oligomer; 33 (2), 201-207

UV-curable coating; 33 (2), 201-207

V

vaccine; 33 (2), 143-149

vanadium; 33 (3), 255-261

vibration analysis; 33 (1), 61-68

Vibrio parahaemolyticus; 33 (3), 295-300

W

waste glycerol; 33 (6), 699-703

waste greases; 33 (5), 525-530

waste paddy; 33 (2), 163-170

water pollution; 33 (6), 699-703

water stress; 33 (2), 135-142

well logging; 33 (2), 237-246

wheat; 33 (2), 135-142

wind; 33 (3), 305-313

wood vinegar; 33 (3), 349-354; 33 (4), 425-430

Y

yellow head virus; 33 (2), 121-127

yield; 33 (2), 135-142

yolk absorption; 33 (6), 671-677

young coconut juice; 33 (6), 617-623

Z

Zero forcing Equalizer; 33 (3), 335-340

Zingiberaceae; 33 (3), 301-304

zygotic embryo culture; 33 (6), 653-657