

Keywords Index

- A**
abundance; 35 (4), 483-488
Adiantum hispidulum; 35 (5), 513-516
adsorption isotherm; 35 (2), 227-233; 35 (6), 727-738
adsorption kinetics; 35 (2), 227-233; 35 (6), 727-738
adsorption; 35 (3), 309-316, 339-347; 35 (4), 451-459;
35 (6), 727-738
agriculture; 35 (3), 303-308
Al2O3; 35 (5), 569-577
alendronate and vitamin D3; 35 (3), 325-331
alendronate; 35 (3), 325-331
alkaline protease; 35 (2), 187-195
alluvial soil; 35 (6), 727-738
ammonia; 35 (3), 361-368
analytic hierarchy process (AHP); 35 (1), 81-90;
35 (3), 349-359
ANN; 35 (6), 727-738
Antarctic; 35 (6), 623-630
anti-allergic activity; 35 (2), 197-201
anti-allergy; 35 (6), 659-664
anti-HIV-1 integrase; 35 (6), 659-664
anti-inflammatory effect; 35 (3), 317-323
antimicrobial activity; 35 (1), 11-16
antioxidant activity; 35 (1), 11-16
apoptosis; 35 (2), 123-129
array of impinging jets; 35 (2), 203-212
atorvastatin; 35 (1), 41-50
authentication; 35 (5), 589-597
azo dyes; 35 (6), 647-657
azoreductase; 35 (6), 647-657
- B**
B. licheniformis; 35 (2), 187-195
BaCeO₃; 35 (5), 557-561
back-vented brake disc; 35 (6), 671-681
banana peel cellulose; 35 (6), 641-646
banding patterns; 35 (4), 383-387
Bangkok roads; 35 (4), 489-499
basalt breccia; 35 (4), 469-482
Bauhinia strychnifolia; 35 (6), 659-664
behavior; 35 (2), 137-141
beverages; 35 (6), 631-639
bias; 35 (6), 749-760
binary system; 35 (3), 339-347
biocide; 35 (3), 303-308
biodegradable polymer composites; 35 (5), 529-535
biodegradable; 35 (1), 57-61
biodelignification; 35 (4), 415-420
biodeposit; 35 (5), 501-505
biogas; 35 (6), 683-691
biometrics; 35 (5), 589-597
biosurfactant; 35 (2), 167-176
birth weight; 35 (1), 1-10
BJ human fibroblast; 35 (5), 537-546
Blepharis edulis; 35 (1), 11-16
Blepharis persica; 35 (1), 11-16
block rubber; 35 (1), 69-80
body measurement at birth; 35 (1), 1-10
body size; 35 (5), 507-511
body weight; 35 (5), 507-511
Boesenbergia thorelii; 35 (2), 197-201
bottom ash; 35 (3), 339-347
Boussingaultite; 35 (2), 213-216
brake disc temperature; 35 (6), 671-681
build orientation; 35 (1), 91-98
butter cake; 35 (6), 641-646
- C**
Caesalpinaceae; 35 (6), 665-669
carbaryl; 35 (6), 727-738
carbon dioxide; 35 (6), 683-691
carbon-nutrient balance hypothesis; 35 (4), 389-395
ζ-carotene desaturase; 35 (5), 517-527
Cassia garrettiana; 35 (6), 665-669
CBR; 35 (5), 579-587
cellulose; 35 (2), 177-185; 35 (6), 641-646
cellulosic pretreatment; 35 (4), 443-450
cement stabilisation; 35 (5), 579-587
cenozoic; 35 (4), 469-482
central composite design; 35 (4), 443-450
CFD; 35 (2), 203-212
character association; 35 (3), 243-250
character contribution; 35 (3), 243-250
characterization; 35 (2), 187-195

chemical absorption; 35 (6), 683-691
 chitosan intercalated montmorillonite; 35 (4), 451-459
 chlorophyll; 35 (3), 303-308
 citrate gel; 35 (5), 557-561
 clean coal technologies; 35 (4), 421-427
 CO₂ emission; 35 (4), 421-427; 35 (5), 563-568
 coastal; 35 (6), 739-748
 coating; 35 (6), 705-713
 co-culture; 35 (5), 501-505
 cold active lipase; 35 (6), 623-630
 cold adaptation; 35 (3), 287-292
 compatibilizer; 35 (5), 547-555
 composites; 35 (1), 57-61
 computer aided design; 35 (4), 437-442
 concentrated latex; 35 (2), 213-216
 conduction; 35 (5), 529-535
 conductivity; 35 (5), 557-561
 conservation; 35 (4), 483-488
 constructed wetland; 35 (5), 599-603
 continuous wavelet transformation; 35 (3), 333-338
 copra meal; 35 (1), 17-22
 corn shelling; 35 (1), 63-67
 correlation; 35 (5), 507-511
 cortisol; 35 (2), 137-141
 cost of CO₂ avoided; 35 (4), 421-427
 CPUE; 35 (4), 483-488
 Cr(VI) reductase; 35 (4), 407-414
 Cr(VI) reduction; 35 (4), 407-414
 cranioplasty; 35 (4), 437-442
 critical temperature; 35 (5), 611-614
 crossflow; 35 (2), 203-212
Curculigo; 35 (4), 379-382

D

3D medical imaging; 35 (4), 437-442
 defect detection; 35 (2), 217-225
 delta method; 35 (2), 235-241
Dendrobium; 35 (2), 149-158
 Department of Rural Roads; 35 (1), 81-90
 depth; 35 (4), 483-488
 desorption; 35 (4), 451-459
 detached leave; 35 (3), 303-308
 diacylglycerols; 35 (1), 23-32
 diarylheptanoids; 35 (3), 317-323
 direct shipment; 35 (3), 369-377
 discharge; 35 (1), 99-106
 domestic wastewater; 35 (5), 599-603
 drought; 35 (3), 275-285
 dry matter partitioning; 35 (3), 251-259

E

eggshell; 35 (3), 309-316
EgLEA4; 35 (3), 275-285
Elaeis guineensis; 35 (3), 275-285
 electrostatic dissipative material; 35 (5), 529-535
 elution; 35 (3), 293-301

emotion recognition; 35 (4), 461-468
 energy harvesting; 35 (5), 605-610
 equilibrium moisture content; 35 (1), 69-80
 erosion-accretion; 35 (6), 739-748
 error rates; 35 (5), 589-597
 EST data analysis; 35 (2), 149-158
 EST-derived marker; 35 (2), 149-158
 esterification; 35 (1), 23-32
 estimator selection criteria; 35 (6), 749-760
 ESTs; 35 (2), 143-148
 experimental animal models; 35 (1), 33-40
 expressed sequence tags; 35 (2), 143-148
 extended Cohn-Kanade database; 35 (4), 461-468

F

Fabaceae; 35 (6), 659-664
 facial expression recognition; 35 (4), 461-468
 ferrofluid; 35 (5), 529-535
 fever; 35 (1), 33-40
 fingerprinting; 35 (4), 397-404
 fixation; 35 (5), 563-568
 flexural strength; 35 (4), 429-436
 flow-dependent capacities; 35 (4), 489-499
 food security; 35 (3), 261-274
 Ford-Fulkerson algorithm; 35 (4), 489-499
 fragmentation; 35 (1), 51-56
 front-vented brake disc; 35 (6), 671-681
Fusarium solani; 35 (6), 615-621
 future global warming; 35 (3), 261-274

G

galangal; 35 (2), 227-233
 genetic algorithm; 35 (1), 115-121
 genetic parameters and genetic trends; 35 (1), 1-10
 genetic; 35 (2), 131-135
 geochemistry; 35 (4), 469-482
 Ghezel sheep; 35 (2), 131-135
 Ginzburg-Landau theory; 35 (5), 611-614
 GIS; 35 (6), 739-748
 globular microstructure; 35 (5), 569-577
 glutamic acid; 35 (4), 429-436
 glycidyl methacrylate; 35 (4), 429-436
 glyoxal; 35 (6), 631-639
 GMAW; 35 (3), 333-338
 grandiflorenic acid; 35 (5), 537-546
 groundwater flow; 35 (1), 99-106
 growth traits; 35 (2), 131-135

H

Halimeda macroloba; 35 (4), 389-395
Halomonas; 35 (6), 623-630
 halotolerant; 35 (3), 287-292
 heat conduction; 35 (6), 671-681
 heat convection; 35 (6), 671-681
 heat of sorption; 35 (1), 69-80
 heat stress; 35 (2), 123-129

heavy metal; 35 (2), 227-233

heritability; 35 (2), 131-135

heuristics; 35 (3), 369-377

HIV-1 integrase; 35 (6), 665-669

holocellulose; 35 (4), 415-420

Holothuria scabra; 35 (5), 501-505

horizontal flow; 35 (5), 599-603

HPLC determination; 35 (3), 325-331

HSP60; 35 (2), 123-129

human osteoblast; 35 (2), 123-129

hydroxyapatite; 35 (1), 57-61

Hylidae; 35 (4), 383-387

Hypoxis; 35 (4), 379-382

I

impedance spectra; 35 (5), 557-561

implants validation; 35 (4), 437-442

inflammation; 35 (1), 33-40

injury; 35 (2), 137-141

in-line and staggered arrangement; 35 (2), 203-212

intercalation; 35 (4), 451-459

intraplate; 35 (4), 469-482

inventory and transportation planning; 35 (3), 369-377

isotherms; 35 (3), 339-347

K

karyotype; 35 (4), 379-382

Keratinocytes HaCaT; 35 (5), 537-546

kinetic; 35 (3), 309-316; 35 (3), 339-347

kraft pulping; 35 (4), 415-420

L

late-embryogenesis abundant protein; 35 (3), 275-285

latex waste; 35 (5), 547-555

LC-MS/MS; 35 (1), 41-50

levelized cost; 35 (4), 421-427

lexicographic fuzzy goal programming; 35 (6), 715-726

lignin derivative; 35 (4), 415-420; 35 (6), 705-713

lignosulfonate; 35 (3), 309-316

linear regression estimator; 35 (5), 507-511; 35 (6), 749-760

linerboard; 35 (6), 705-713

lipase; 35 (1), 23-32

liquid bridge disruption period; 35 (3), 333-338

Litoria; 35 (4), 383-387

low ranked coal; 35 (4), 421-427

lycopene; 35 (5), 517-527

M

machine duplication; 35 (6), 715-726

Malaysia; 35 (6), 615-621

mannanase; 35 (1), 17-22

manufacturing cell formation; 35 (6), 715-726

mathematical model; 35 (3), 369-377

maximal 3-local subgroup; 35 (1), 107-113

maximum traffic flow; 35 (4), 489-499

meat sheep; 35 (5), 507-511

mechanical properties; 35 (1), 57-61

medium improvement; 35 (2), 167-176

methoxyflavonoids; 35 (3), 317-323

methyl orange; 35 (4), 451-459

methylglyoxal; 35 (6), 631-639

microalgae; 35 (5), 563-568

MicroRNAs; 35 (2), 143-148

microstructure; 35 (6), 693-703

microwave; 35 (6), 693-703

miRNAs; 35 (2), 143-148

MLST; 35 (4), 397-404

molecular techniques; 35 (6), 647-657

Molineria; 35 (4), 379-382

monoethanolamine; 35 (6), 683-691

MSE; 35 (6), 749-760

multi-objective genetic algorithm (MOGA); 35 (3), 349-359

N

narrow leaf cattail; 35 (4), 443-450

natural rubber; 35 (1), 69-80

necrosis; 35 (2), 123-129

neural network; 35 (2), 217-225

Nevskia ramosa; 35 (2), 167-176

nit mutant; 35 (6), 615-621

nitrogen; 35 (3), 251-259

NO; 35 (5), 563-568

non-linear regression; 35 (1), 69-80

nonstationary inventory management; 35 (1), 115-121

normalizer; 35 (1), 107-113

nutrient enrichment; 35 (4), 389-395

nutritional and functional properties; 35 (2), 159-166

O

oil film technique; 35 (2), 203-212

oil palm; 35 (3), 275-285

okra germplasm lines; 35 (3), 243-250

oligosaccharide production; 35 (1), 17-22

omega-6 fatty acids; 35 (3), 287-292

OPEFB lignin; 35 (6), 705-713

operating factors; 35 (1), 63-67

optimization; 35 (2), 177-185; 35 (6), 623-630

osteoblast; 35 (3), 293-301

oxidant stability; 35 (2), 187-195

P

PAA pretreatment; 35 (2), 177-185

packed column; 35 (6), 683-691

pain; 35 (1), 33-40

palm fatty acid distillate; 35 (1), 23-32

palm oil mill effluent; 35 (2), 167-176

pareto optimality; 35 (3), 349-359

paste; 35 (6), 693-703

pattern recognition; 35 (2), 217-225

Penaeus monodon; 35 (2), 143-148

Penicillium oxalicum; 35 (1), 17-22

perfect grouping concept; 35 (6), 715-726

- petrology; 35 (4), 469-482
 PFGE; 35 (4), 397-404
Phalaenopsis; 35 (2), 149-158
 pharmacokinetics; 35 (1), 41-50; 35 (3), 325-331
 phenolic total content; 35 (1), 11-16
 phenotypic correlation; 35 (2), 131-135
 photocatalytic; 35 (3), 361-368
 physicochemical properties; 35 (2), 159-166
 phytoene desaturase; 35 (5), 517-527
 phytoene synthase; 35 (5), 517-527
 phytosorbent; 35 (2), 227-233
 pig; 35 (2), 137-141
 Plackett-Burman; 35 (2), 167-176
 plasma and urine; 35 (3), 325-331
 plasma; 35 (1), 41-50
 pod yield; 35 (3), 243-250
 poly(alkenoic acid); 35 (4), 429-436
 poly(vinylidene fluoride); 35 (5), 605-610
 polyphenol; 35 (4), 389-395
 polyunsaturated fatty acids; 35 (3), 287-292
 porosity; 35 (3), 293-301
 Portland cement; 35 (6), 693-703
 power generation expansion planning (PGEP); 35 (3), 349-359
 pozzolan; 35 (6), 693-703
 production; 35 (3), 369-377
 proportion; 35 (2), 235-241
 protein fractions; 35 (2), 159-166
 protein isolates; 35 (2), 159-166
 Pteridaceae; 35 (5), 513-516
 purification; 35 (2), 187-195
- R**
- raman spectroscopy; 35 (1), 51-56
 RAPD; 35 (4), 397-404
 Raw cells 264.7; 35 (5), 537-546
 RBL-2H3 cells; 35 (2), 197-201
 recharge; 35 (1), 99-106
 recombinant strain; 35 (6), 647-657
 red tilapia; 35 (5), 501-505
 relative efficiency; 35 (6), 749-760
 release agent; 35 (1), 51-56
 remote sensing; 35 (6), 739-748
 resin modified glass-ionomer cement; 35 (4), 429-436
 response surface methodology; 35 (1), 23-32; 35 (4), 443-450
 RFLP; 35 (4), 397-404
 rice; 35 (3), 261-274
 Roselle seed; 35 (2), 159-166
 rosy maidenhair fern; 35 (5), 513-516
 RSM; 35 (2), 177-185; 35 (3), 361-368
 rubber recovery; 35 (2), 213-216
- S**
- salt leaching; 35 (3), 293-301
 SBR; 35 (5), 547-555
 sea cucumber; 35 (5), 501-505
 semi-solid; 35 (5), 569-577
 sensibility contention; 35 (5), 589-597
 sensors; 35 (5), 589-597
 setup cost constrained; 35 (6), 715-726
 sheep; 35 (1), 1-10
 shielding gas compositions; 35 (3), 333-338
 shoreline dynamics; 35 (6), 739-748
 short-circuit transfer; 35 (3), 333-338
 shrinkage crack; 35 (5), 579-587
 SIMA process; 35 (5), 569-577
 simple random sampling; 35 (6), 749-760
 SNR; 35 (5), 547-555
 SO₂; 35 (5), 563-568
 sodium hydroxide; 35 (4), 443-450
Solanum lycopersicum; 35 (5), 517-527
 solid phase micro-extraction; 35 (1), 41-50
 solution blending; 35 (5), 547-555
 specific growth rate; 35 (5), 563-568
 16S rRNA; 35 (3), 287-292
 SSCP; 35 (4), 397-404
 stability; 35 (6), 623-630
 standard approach; 35 (5), 605-610
 standard karyotype; 35 (4), 383-387
 standardized implant; 35 (4), 437-442
 stereolithography process; 35 (1), 91-98
 stochastic model applications; 35 (1), 115-121
 strain sensors; 35 (1), 51-56
 stress; 35 (2), 137-141
 sugarcane bagasse; 35 (2), 177-185
 support vector machines; 35 (4), 461-468
 surface resistivity; 35 (5), 529-535
 surface tension; 35 (2), 167-176
 sweetener; 35 (6), 631-639
 SWNTs; 35 (1), 51-56
 Sylow 3-subgroup; 35 (1), 107-113
 symmetric group; 35 (1), 107-113
 synteny; 35 (2), 149-158
 syrup; 35 (6), 631-639
- T**
- Takengon; 35 (4), 483-488
 temperature; 35 (1), 99-106; 35 (3), 251-259
 Thai Hypoxidaceae; 35 (4), 379-382
 Thai thresher; 35 (1), 63-67
 Thailand; 35 (1), 81-90
 thermal gradient; 35 (1), 99-106
 thermochromic liquid crystal sheet (TLCs); 35 (2), 203-212
 thermodynamic parameters; 35 (6), 727-738
 thermophilic chromate-reducing bacteria; 35 (4), 407-414
 thiazolidine-2,4-dione analogs; 35 (1), 33-40
 time-partitioning; 35 (3), 369-377
 TiO₂; 35 (3), 361-368
 tissue engineering; 35 (1), 57-61
 Tobacco disease; 35 (6), 615-621
 transportation; 35 (2), 137-141
 treatment; 35 (5), 599-603
Triticum aestivum L.; 35 (3), 251-259

Turbinaria conoides; 35 (4), 389-395

two-band magnetic superconductors; 35 (5), 611-614

tyre chips; 35 (5), 579-587

U

ultrasonic pulse velocity; 35 (2), 217-225

ultrasonic waves; 35 (2), 217-225

ultraviolet post-curing process and mechanical properties;
35 (1), 91-98

unbalanced design; 35 (2), 235-241

UV light; 35 (3), 361-368

V

Vegetative compatibility group (VCG); 35 (6), 615-621

vertical flow; 35 (5), 599-603

W

waste latex sludge; 35 (2), 213-216

water resistance; 35 (6), 705-713

Wedelia trilobata; 35 (5), 537-546

weigh station establishment; 35 (1), 81-90

weighted sum contrasts; 35 (2), 235-241

wheat; 35 (3), 251-259; 35 (3), 261-274

white rot fungi; 35 (4), 415-420

Y

yield components; 35 (3), 243-250

Z

Zingiberaceae; 35 (3), 317-323