

Keywords Index

A

acid hydrolysate; 38 (5), 473-483
agricultural wastes; 38 (2), 177-182
air blown gasification; 38 (2), 221-228
allergic symptoms; 38 (4), 407-412
analytic hierarchy process; 38 (1), 7-14
analytic sequence; 38 (5), 581-590
androgen receptor; 38 (3), 275-279
antarctic; 38 (2), 207-211
anther; 38 (3), 281-287
anticancer; 38 (4), 399-406
anti-HIV-1 integrase activity; 38 (3), 229-236
anti-inflammation; 38 (6), 621-630
antioxidant capacities; 38 (5), 463-472
antioxidant effect; 38 (1), 31-39
anti-oxidant; 38 (4), 391-398
ARL; 38 (5), 569-574
aromatic oil; 38 (5), 501-506
Asian catfish; 38 (2), 163-170
asymptotic distribution; 38 (5), 521-535
autocorrelation; 38 (6), 715-721
avian influenza virus; 38 (2), 137-142
axisymmetric flow; 38 (3), 319-324

B

Bacillus licheniformis; 38 (3), 295-303
Bacillus sp.; 38 (2), 177-182
bacteriocin; 38 (1), 47-55
beef heifer; 38 (2), 183-188
beta-generated; 38 (5), 537-54
biodegradable polymer; 38 (2), 129-136
biofilm; 38 (4), 349-355; 38 (4), 381-389
biosurfactant; 38 (2), 207-211
bipolar (λ, δ)-fuzzy Γ -hyperideals; 38 (2), 119-127
bipolar fuzzy sets; 38 (2), 119-127
blood lead level; 38 (2), 147-153
blue swimming crab; 38 (1), 83-90
brass industry workers; 38 (2), 147-153
brick; 38 (6), 699-705
bryophyte; 38 (3), 311-318

C

Capsicum annuum; 38 (4), 399-406
carbon mineralization; 38 (3), 325-331
cellulase; 38 (2), 177-182
Channidae; 38 (4), 427-434
chicken-feather; 38 (4), 349-355
chitosan; 38 (3), 295-303
Chlorella; 38 (6), 641-644
Chromolaena odorata; 38 (6), 683-689
chronic lead exposure; 38 (2), 147-153
clerodane diterpenoid; 38 (3), 229-236
climate change; 38 (6), 715-721
clinical outcomes; 38 (2), 189-197
COI; 38 (4), 365-372
color; 38 (5), 463-472
commercial enzymes; 38 (4), 439-447
composite; 38 (2), 129-136
concave clearance; 38 (5), 591-598
concave rod clearance; 38 (5), 591-598
conservation; 38 (2), 213-220
construction industry; 38 (1), 7-14
convective PCR; 38 (4), 343-348
convergence free; 38 (2), 143-146
copula; 38 (5), 569-574
corn shelling unit; 38 (5), 591-598
corrugated choke; 38 (4), 373-379
cost-effectiveness; 38 (2), 189-197; 38 (2), 207-211
count data; 38 (6), 645-656
creatine kinase; 38 (3), 289-294
Curcuma zedoaroides; 38 (6), 621-630
curcumin; 38 (6), 605-610
cyclosporine; 38 (4), 421-426
cytotoxic effect; 38 (1), 31-39

D

data modification; 38 (2), 171-176
demand; 38 (1), 113-117
density; 38 (6), 631-639
Devario regina (Fowler, 1934); 38 (1), 67-72
DGGE; 38 (4), 413-419

diabetes; 38 (6), 707-714
 diosbulbin E acetate; 38 (3), 229-236
Dioscorea bulbifera L.; 38 (3), 229-236
 disease detection; 38 (3), 265-274
 DNA barcoding; 38 (4), 427-434
 dog; 38 (4), 421-426
 double fuzzy topology; 38 (1), 99-103
 downdraft gasifier; 38 (2), 221-228
 drop forging; 38 (4), 357-363
 drying kinetics; 38 (4), 373-379
 dual; 38 (5), 581-590
 Dvaravati Period; 38 (5), 495-500

E

E. coli; 38 (6), 675-681
 ecology; 38 (4), 435-437
 endothelial function; 38 (6), 691-697
 enrichment cultures; 38 (6), 667-674
 entrapment; 38 (6), 605-610
 epidermal topography; 38 (1), 41-45
 estrogen; 38 (1), 57-65
 ethanol; 38 (3), 333-341
 eucalyptus wood biochar; 38 (3), 325-331
 EWMA control chart; 38 (5), 569-574
 exploratory factor analysis; 38 (5), 453-462
 extraction; 38 (4), 391-398

F

2-furancarboxaldehyde-5-(hydroxymethyl); 38 (1), 15-22
 factor analysis; 38 (6), 715-721
 fermentation; 38 (3), 333-341
 fermented shrimp; 38 (1), 47-55
 fern; 38 (5), 575-579
 fibers; 38 (2), 129-136
 fish; 38 (5), 549-557
 fisheries; 38 (4), 365-372
 fishmeal quality; 38 (1), 73-82
 flow-mediated dilatation; 38 (6), 691-697
 food safety; 38 (4), 413-419
 formaldehyde; 38 (4), 349-355
 fresh garlic extract; 38 (4), 381-389
 freshwater turbellarians; 38 (1), 41-45
 fruit drop; 38 (3), 249-255
 fruit thinning; 38 (3), 249-255

G

gai sequence; 38 (5), 581-590
Ganoderma; 38 (1), 23-30
 gastrointestinal digestion; 38 (4), 439-447
 general officers; 38 (4), 407-412
 generalised Lindley distribution; 38 (6), 645-656
 generalized exponential; 38 (5), 537-54
 genetic diversity; 38 (4), 365-372
 genetic parameters; 38 (1), 91-97
 genetic trend; 38 (3), 305-310

geostatistic; 38 (1), 23-30
 glucose; 38 (3), 289-294
 glucosinolate; 38 (6), 675-681
 glycolipoprotein; 38 (2), 207-211
 greenhouse gas emission; 38 (3), 325-331
 group-buying; 38 (1), 113-117
 growth and survival; 38 (6), 641-644
 growth performance; 38 (1), 1-5; 38 (2), 183-188;
 38 (6), 631-639
 growth traits; 38 (3), 305-310
 growth; 38 (1), 73-82

H

H5N1; 38 (2), 137-142
 hand-held PCR; 38 (4), 343-348
 HeLa cell; 38 (4), 399-406
 HepG2 cell; 38 (2), 155-161
 heritability; 38 (1), 91-97
Hevea brasiliensis; 38 (1), 15-22
 hexadecanoic acid; 38 (1), 15-22
 hierarchical cluster analysis; 38 (5), 463-472
 high strength steel; 38 (5), 485-493
 high-dimensional data; 38 (5), 521-535
 histochemistry; 38 (1), 67-72
 histology; 38 (1), 67-72
 histone deacetylase; 38 (4), 399-406
 historical sites; 38 (5), 495-500
 HMG CoA reductase; 38 (2), 155-161
 Hooghly; 38 (4), 435-437
 humanistic outcomes; 38 (2), 189-197
 hypolipidemic; 38 (2), 155-161
 hypothesis testing; 38 (5), 521-535

I

immediate Bernoulli feedback; 38 (5), 507-520
 immobilization; 38 (3), 295-303; 38 (3), 333-341
in silico; 38 (5), 549-557
 India; 38 (4), 435-437
 interactive; 38 (5), 559-567
 interleukin-6; 38 (3), 289-294
 internal transcribed spacer (ITS); 38 (1), 15-22
 interval number; 38 (2), 143-146
 invasive species; 38 (6), 683-689
 inventory model; 38 (1), 113-117
 Iran-Black sheep; 38 (3), 305-310
 isothiocyanate; 38 (6), 675-681

K

Kelantan; 38 (2), 213-220
 keratin; 38 (4), 349-355
 kidney; 38 (1), 57-65
 knowledge space; 38 (4), 449-451
 knowledge-based design; 38 (5), 559-567
 kriging; 38 (1), 23-30
Kung-Som; 38 (1), 47-55; 38 (4), 413-419

L

Lactobacillus pentosus; 38 (1), 47-55
 larvae; 38 (1), 83-90
 LDL receptor; 38 (2), 155-161
 lead time; 38 (1), 113-117
 leaf carbohydrates concentration; 38 (3), 249-255
 levansucrase; 38 (3), 295-303
 LFOS; 38 (3), 295-303
 librarians; 38 (4), 407-412
 linear regression model; 38 (6), 715-721
 lipid; 38 (1), 57-65
 liposomes; 38 (6), 605-610
Litopenaeus vannamei; 38 (1), 73-82
 liver; 38 (1), 57-65
 logistic regression; 38 (2), 171-176
 lowland forest; 38 (3), 311-318

M

(*m, n*)-ideal; 38 (2), 199-206
 (*m, n*)-quasi-ideal; 38 (2), 199-206
 (*m, n*)-regular; 38 (2), 199-206
Macrobrachium rosenbergii; 38 (6), 641-644
 malaria; 38 (3), 265-274
 mangrove ecosystem management; 38 (3), 243-248
 mannanase; 38 (2), 177-182
 MAOA level; 38 (2), 147-153
 material parameters; 38 (5), 485-493
 matrix mapping; 38 (3), 265-274
 mechanical properties; 38 (4), 357-363
 medication adherence; 38 (6), 611-620
 metallographic analysis; 38 (3), 237-242
 methamphetamine; 38 (3), 275-279
 methyl ester; 38 (1), 15-22
 microalgae; 38 (1), 1-5
 microalloyed HSLA steel; 38 (4), 357-363
 microbial community; 38 (6), 667-674
 microfilm; 38 (4), 421-426
 microflora; 38 (4), 413-419
 microstructures; 38 (4), 357-363
 microwave choke; 38 (4), 373-379
 microwave filter; 38 (4), 373-379
 mixed culture; 38 (1), 1-5
 mixed Poisson distribution; 38 (6), 645-656
 molecular docking; 38 (3), 229-236
 monotone metric; 38 (5), 581-590
 Monte Carlo simulation; 38 (5), 569-574
Moringa oleifera; 38 (2), 155-161
 morphology; 38 (4), 427-434
 MRSA; 38 (4), 381-389
 mtDNA; 38 (4), 365-372
 multivariate animal models; 38 (3), 305-310
 multivariate normal; 38 (5), 521-535
 mussels; 38 (6), 631-639

N

N2a; 38 (6), 599-603

narrow spectrum; 38 (1), 47-55
 natural rubber; 38 (5), 501-506
 NDL; 38 (3), 281-287
 NDR; 38 (3), 281-287
 new records; 38 (2), 213-220
 nitrile; 38 (6), 675-681
 non-null distribution; 38 (5), 521-535
 nucleus gene; 38 (1), 41-45
 null distribution; 38 (5), 521-535
 nurse job satisfaction; 38 (5), 453-462

O

9-octadecanoic acid (Z); 38 (1), 15-22
 oil palm; 38 (1), 23-30
 omega-3 fatty acid; 38 (2), 163-170
 optically stimulated luminescence; 38 (6), 699-705
 optimization; 38 (2), 163-170
 ordered semigroup; 38 (2), 199-206
 organic decomposition; 38 (3), 325-331
 organic residue quality; 38 (3), 325-331
 oyster mushroom (*Pleurotus ostreatus*); 38 (1), 31-39
 overbooking; 38 (6), 657-665
 over-dispersion; 38 (6), 645-656

P

Padina boryana; 38 (1), 105-111
Pangasius bocourti; 38 (2), 163-170
 parameter-adding method; 38 (5), 537-54
 partial diallel; 38 (1), 91-97
 pathogenicity; 38 (2), 137-142
 PCR-DGGE; 38 (6), 667-674
 pectin; 38 (2), 129-136
 peg tooth clearance; 38 (5), 591-598
Perna viridis; 38 (6), 631-639
 Phaeophyceae; 38 (1), 105-111
 pharmaceutical care; 38 (2), 189-197
 phenolics; 38 (2), 155-161
 phycocyanin; 38 (4), 391-398
 phylogeny; 38 (4), 427-434
 physiology; 38 (2), 183-188
 pigmented rice; 38 (5), 463-472
Pisifera; 38 (3), 281-287
 Plank 30 s training; 38 (6), 691-697
 Plank 60 s training; 38 (6), 691-697
 PM₁₀; 38 (4), 407-412
 Poisson process; 38 (1), 113-117
 pollen; 38 (3), 281-287
 poly-lactic acid; 38 (4), 421-426
 polyol; 38 (6), 605-610
 population dynamics; 38 (1), 105-111
 portable thermal cycler; 38 (4), 343-348
Portunus pelagicus; 38 (1), 83-90
 post- acute myocardial infarction; 38 (6), 611-620
 pre-attentive; 38 (6), 599-603
 preemptive priority queue; 38 (5), 507-520

principal component analysis; 38 (5), 463-472
 probability weighted moments; 38 (5), 537-54
 processing aids; 38 (5), 501-506
pro-drug type peptides; 38 (4), 439-447
 prosody; 38 (6), 599-603
 protein digestibility; 38 (1), 73-82
 proximate composition; 38 (1), 1-5
 pteridophyte; 38 (5), 575-579
 pummelo; 38 (3), 249-255

Q

quality evaluation; 38 (3), 237-242
 quality of life; 38 (6), 707-714
 quantitative EEG; 38 (6), 599-603

R

(*r, s*)-fuzzy regular weakly closed sets; 38 (1), 99-103
 (*r, s*)-generalized fuzzy *b*-regular weakly closed sets;
 38 (1), 99-103
 radiation energy; 38 (4), 373-379
 rare species; 38 (3), 311-318
 recruitment; 38 (6), 631-639
 red chili pepper; 38 (4), 399-406
 reproduction pattern; 38 (1), 105-111
 revenue management; 38 (6), 657-665
 resilience; 38 (6), 707-714
 resistance test; 38 (1), 83-90
 response surface methodology; 38 (4), 439-447
 response surface; 38 (2), 163-170
 retrial queue; 38 (5), 507-520
 reverse logistics; 38 (1), 7-14
 rice domestication; 38 (5), 495-500
 roof modification; 38 (2), 183-188
 rotating torus; 38 (3), 319-324
 rubber injection mold design; 38 (5), 559-567

S

Γ -semihypergroups; 38 (2), 119-127
Saccharomyces cerevisiae; 38 (3), 333-341
 scale development; 38 (5), 453-462
 schizophrenia; 38 (2), 189-197
Scylla tranquebarica; 38 (4), 365-372
 second-order confirmatory factor analysis; 38 (5), 453-462
 selection; 38 (1), 91-97
 self-care behavior; 38 (6), 707-714
 semigroup; 38 (2), 199-206
 seminiferous tubule; 38 (3), 275-279
 sepak takraw; 38 (3), 289-294
 sequence algebra; 38 (2), 143-146
 sequence space; 38 (3), 265-274
 serotonin level; 38 (2), 147-153
 shelling loss; 38 (5), 591-598
Shorea robusta; 38 (6), 683-689
 small mammals; 38 (2), 213-220
 social network analysis; 38 (3), 243-248
 soil bacteria; 38 (6), 667-674

solid; 38 (2), 143-146
 solvent; 38 (4), 391-398
 Southern Thailand; 38 (3), 311-318; 38 (6), 699-705
 spatial variability; 38 (1), 23-30
 species classification; 38 (4), 427-434
 species composition; 38 (6), 683-689
 species richness; 38 (6), 683-689
 spectrum of an operator; 38 (3), 265-274
 speech perception; 38 (6), 599-603
 spermatogenesis; 38 (3), 275-279
Spirulina platensis; 38 (4), 391-398
 spot welding; 38 (3), 237-242
 springback; 38 (5), 485-493
Staphylococcus aureus; 38 (4), 381-389
 starch; 38 (4), 349-355
 static model; 38 (6), 657-665
 stearyl aromatic esters; 38 (5), 501-506
 stochastic model; 38 (6), 657-665
 subconjunctival implantation; 38 (4), 421-426
 sugarcane bagasse composition; 38 (5), 473-483
 sugarcane juice; 38 (2), 207-211
 sulfoxide reductase; 38 (6), 675-681
 supplementary variable technique; 38 (5), 507-520
 symmetric; 38 (2), 143-146
 systems; 38 (1), 67-72

T

tar formation; 38 (2), 221-228
 tar reduction; 38 (2), 221-228
 taxonomy; 38 (4), 435-437
Tectaria kehdingiana; 38 (5), 575-579
Tectaria shahidaniana; 38 (5), 575-579
 TEM; 38 (6), 605-610
 temperature humidity index; 38 (2), 183-188
 tensile test; 38 (3), 237-242
 testis; 38 (3), 275-279
 Thailand; 38 (1), 41-45; 38 (1), 67-72; 38 (2), 189-197
 theory of evidence; 38 (3), 257-263
 thermoluminescence; 38 (6), 699-705
 thermoplastic starch; 38 (2), 129-136
Thong Dee; 38 (3), 249-255
 Thung Tuk archaeological site; 38 (6), 699-705
 TNF- α ; 38 (5), 549-557
 topological space; 38 (4), 449-451
 Topp-Leone family; 38 (5), 537-54
 toroidal coordinate system; 38 (3), 319-324
 triglyceride; 38 (3), 289-294
 triple sequence; 38 (5), 581-590
Triticum aestivum L.; 38 (1), 91-97
 tropical zones; 38 (6), 715-721
 trypsin gene; 38 (1), 73-82
 tyrosinase inhibition activity; 38 (1), 31-39

U

ultrasound; 38 (4), 391-398
 union-closed sets conjecture; 38 (4), 449-451

used lubricating oil; 38 (6), 667-674
wound healing effect; 38 (6), 621-630

V

vanadium and niobium alloying elements; 38 (4), 357-363
vitamin D₂; 38 (1), 31-39
Vibrio L.; 38 (4), 435-437

W

waffle-iron filter; 38 (4), 373-379
water hyacinth; 38 (3), 333-341
waterfowl; 38 (2), 137-142
wave exposure; 38 (1), 105-111
web-based design; 38 (5), 559-567
Welu basin; 38 (3), 243-248
West Bengal; 38 (4), 435-437
working vacations; 38 (5), 507-520

X

xylanase; 38 (2), 177-182
xylitol; 38 (5), 473-483
xylose-fermenting yeast; 38 (5), 473-483

Y

yield; 38 (2), 207-211; 38 (4), 391-398
Yoshida-Uemori model; 38 (5), 485-493
young coconut juice; 38 (1), 57-65

Z

zero cell count; 38 (2), 171-176
zoa; 38 (1), 83-90