



## Keywords Index

### A

$\alpha$ -glucosidase inhibitory activity; 39 (3), 317-323  
abandoned paddy field; 39 (5), 675-683  
abiotic elicitor; 39 (5), 633-640  
acid/alcohol-induced gastric lesion; 39 (4), 539-547  
activity; 39 (1), 69-75  
adaptive neighbors approach; 39 (5), 565-576  
*Aedes* spp.; 39 (6), 731-737  
agro-ecosystem; 39 (2), 195-203; 39 (6), 697-707  
agronomic trait; 39 (6), 709-714  
alcohol-dependence; 39 (2), 153-162  
allergic rhinitis; 39 (3), 335-340  
alternative splicing; 39 (4), 531-537  
analytic sequence; 39 (4), 549-563  
animal models; 39 (5), 589-599  
antibacterial activity; 39 (1), 131-135  
anti-HIV-1 integrase; 39 (1), 131-135  
anti-inflammatory activity; 39 (1), 91-99  
antimicrobial assay; 39 (2), 261-268  
antioxidant activity; 39 (2), 163-170; 39 (3), 317-323;  
39 (3), 407-414  
antioxidation; 39 (4), 539-547  
ARFIMA( $p,d,q$ ) process; 39 (6), 779-786  
aromatic compound; 39 (2), 179-183  
asthma; 39 (3), 335-340  
awareness; 39 (1), 69-75

### B

$\beta$ -sheet; 39 (4), 531-537  
baker's yeast; 39 (2), 245-252  
Banach metric; 39 (4), 549-563  
banana peel; 39 (2), 245-252  
banana wax; 39 (4), 509-516  
bat algorithm; 39 (5), 641-650  
beef fatty acid; 39 (1), 1-10  
Bézier curve; 39 (6), 793-801  
Bhutan; 39 (3), 303-316  
Bi  $\Gamma$ -ternary semigroup; 39 (4), 415-427  
binding energy; 39 (6), 773-778  
biocontrol agent; 39 (3), 325-334  
bioequivalence; 39 (3), 335-340

biohydrogen; 39 (6), 803-812  
biomass carbon; 39 (6), 697-707  
biomass gasification; 39 (4), 489-496  
biosensor; 39 (3), 373-381  
biotic elicitor; 39 (5), 633-640  
bipolar soft closed set; 39 (3), 359-371  
bipolar soft compact space; 39 (3), 359-371  
bipolar soft connected space; 39 (3), 359-371  
bipolar soft disconnected space; 39 (3), 359-371  
bipolar soft disjoint set; 39 (3), 359-371  
bipolar soft open set; 39 (3), 359-371  
bipolar soft topology; 39 (3), 359-371  
blood meal; 39 (6), 731-737  
blood; 39 (5), 625-631  
*Boesenbergia kingii*; 39 (1), 131-135  
boundary expansion algorithm; 39 (5), 665-673  
bounded linear operator; 39 (4), 549-563  
bounded parameter space; 39 (1), 27-39  
broadband; 39 (5), 601-608

### C

50% chemical fertilizer replacement; 39 (1), 109-116  
C4.5; 39 (5), 665-673  
carbon stock; 39 (6), 697-707  
carbon storage; 39 (2), 215-223  
carcass quality; 39 (1), 1-10  
cardiac auscultation; 39 (2), 171-178  
*Casearia grewiifolia*; 39 (4), 517-521  
cashew apple juice; 39 (6), 803-812  
catalase; 39 (4), 539-547  
Central Composite Design; 39 (1), 59-67  
*Channa striatus*; 39 (2), 137-142  
Chebyshev-Gauss collocation method; 39 (3), 383-397  
chemical concentration; 39 (3), 269-273  
chi sequence; 39 (4), 549-563  
children; 39 (1), 69-75  
claim process; 39 (4), 439-449  
class imbalance problem; 39 (5), 565-576  
classification; 39 (5), 665-673  
clerodane diterpenoids; 39 (4), 517-521  
*Clerodendrum longisepalum*; 39 (3), 317-323

closure; 39 (2), 143-151  
 coconut water; 39 (6), 759-764  
*Cocos nucifera*; 39 (2), 179-183  
 coefficient of variation; 39 (1), 27-39  
 coexist adaptation; 39 (3), 293-301  
 collocation methods; 39 (3), 383-397  
 combinatorial optimization; 39 (5), 641-650  
 combined sewer overflow; 39 (4), 497-507  
 combustion; 39 (4), 489-496  
 community; 39 (6), 787-792  
 confidence interval; 39 (1), 27-39  
 confining pressure; 39 (4), 451-461  
 cost reduction; 39 (5), 577-583  
 Couinaud's classification; 39 (6), 793-801  
 creep; 39 (2), 143-151  
 cropland expansion; 39 (5), 659-664  
 cross-stage interaction effects; 39 (1), 59-67  
 crystallization; 39 (1), 19-25  
*Culex* spp.; 39 (6), 731-737  
 culture-dependent method; 39 (1), 41-47  
 culture-independent method; 39 (1), 41-47  
 cyclic loading; 39 (4), 451-461  
 cysteine; 39 (6), 759-764  
 cytochrome b gene; 39 (6), 731-737  
 cytotoxicity; 39 (4), 517-521

## D

3D plane cuts; 39 (6), 793-801  
 3D region growing; 39 (6), 793-801  
 dairy cow's diet; 39 (6), 739-749  
 danazol; 39 (6), 759-764  
 decision tree; 39 (5), 665-673  
 deforestation; 39 (5), 659-664  
 diabetic rats; 39 (3), 317-323  
 diagnosis; 39 (2), 153-162  
 diarylheptanoid; 39 (1), 91-99  
 diet utilization; 39 (1), 101-108  
 diterpenes; 39 (1), 91-99  
 divalent metal; 39 (6), 773-778  
 DNA fingerprint; 39 (4), 471-477  
 D-optimal criteria; 39 (1), 59-67  
 double sequences; 39 (4), 549-563  
 DPPH assay; 39 (1), 123-129  
 dried coconut meal; 39 (1), 101-108  
 drought tolerance; 39 (6), 723-729  
 drug resistance; 39 (5), 585-588  
 dynamic model; 39 (5), 685-695

## E

14-3-3 epsilon; 39 (4), 531-537  
 early rice seedlings promotion; 39 (1), 109-116  
 elderly patients; 39 (3), 341-346  
 electricity consumption; 39 (4), 523-529  
 energy saving; 39 (4), 523-529  
 environment; 39 (1), 69-75  
 enzymatic activity; 39 (2), 261-268

enzyme cocktail<sup>®</sup>; 39 (1), 101-108  
 epicuticular wax; 39 (4), 509-516  
 error and erasure decoding; 39 (5), 601-608  
*Escherichia coli*; 39 (1), 77-89  
 ethanol; 39 (2), 245-252  
 event mean concentration; 39 (4), 497-507  
 exponential white noise; 39 (6), 779-786

## F

feeding; 39 (6), 813-817  
 fertility; 39 (6), 759-764  
 fertilization rate; 39 (2), 137-142  
 fever; 39 (5), 589-599  
 fish by-products; 39 (6), 813-817  
 fish meal replacement; 39 (6), 813-817  
 flagellin; 39 (3), 373-381  
 flavonoids; 39 (1), 131-135  
*fliC* gene; 39 (3), 373-381  
 fresh cassava peel; 39 (6), 739-749  
 fresh raw milk; 39 (5), 585-588  
 fruit development; 39 (2), 179-183  
 fry; 39 (6), 813-817  
 fullness; 39 (3), 347-353  
 fuzzy almost continuity; 39 (5), 619-624  
 fuzzy  $\Lambda_r^{gX}$ -set; 39 (3), 275-291  
 fuzzy  $\Lambda^{g_x}$ -closed set; 39 (3), 275-291  
 fuzzy  $\Lambda_r^{gX}$ -closed set; 39 (3), 275-291  
 fuzzy  $(\Lambda_r^{gX}, g_y)$ -continuity; 39 (3), 275-291  
 fuzzy hyperconnected space; 39 (5), 619-624  
 fuzzy nowhere dense set; 39 (5), 619-624  
 fuzzy regular open set; 39 (5), 619-624  
 fuzzy semicontinuity; 39 (5), 619-624

## G

$\Lambda_r^{gX}$  gf- $g_X$ -closed set; 39 (3), 275-291  
 gamma distribution; 39 (1), 27-39  
 gamma-interferon-inducible lysosomal thiol reductase (GILT); 39 (2), 261-268  
*Gardenia*; 39 (4), 471-477  
 gastroprotection; 39 (4), 539-547  
 genetic relationship; 39 (4), 471-477  
 genomic structure; 39 (4), 531-537  
 glass transition; 39 (1), 19-25  
 glutathione peroxide; 39 (4), 539-547  
 government officer; 39 (5), 685-695  
 graphene oxide; 39 (6), 773-778  
 growth of immature rubber; 39 (5), 675-683  
 growth pattern; 39 (2), 179-183  
 GT biplot; 39 (6), 709-714

## H

H antigen; 39 (3), 373-381  
*Halimeda macroloba*; 39 (3), 269-273  
 hard candy; 39 (1), 19-25

hatching out; 39 (2), 137-142  
 hatching rate; 39 (2), 137-142  
 head stack assembly; 39 (5), 577-583  
 heat transfer; 39 (6), 765-772  
 helical oscillating heat pipe; 39 (6), 765-772  
 herbal compress; 39 (4), 463-470  
 herbal medicine; 39 (1), 123-129  
 higher learning institution; 39 (3), 399-405  
 histology; 39 (1), 117-121  
 histopathology; 39 (2), 225-235  
 holistic; 39 (1), 123-129  
 hot springs; 39 (6), 803-812  
 household; 39 (4), 523-529  
 householder; 39 (5), 685-695  
 HPLC-QTOF-MS; 39 (4), 463-470  
 hunger; 39 (3), 347-353  
 hydroponics; 39 (5), 633-640  
 hydrocyanic acid; 39 (6), 739-749  
 hyperbolic function; 39 (1), 11-18  
 hyperbolic secant distribution; 39 (1), 11-18  
 hyperideals; 39 (5), 651-657  
 hypersystems; 39 (5), 651-657

## I

*I* – convergence; 39 (4), 549-563  
 ideal; 39 (4), 549-563  
 image processing; 39 (5), 625-631  
 indigenous entomopathogenic fungi; 39 (3), 325-334  
 infection; 39 (3), 341-346  
 infinite time; 39 (4), 439-449  
 infraspecific taxa; 39 (1), 49-57  
 instrument development; 39 (2), 205-214  
 insurance; 39 (4), 439-449  
 intermediate principal stress; 39 (2), 143-151  
 I-pile; 39 (6), 751-758

## J

juvenile; 39 (3), 293-301

## K

*Kaempferia marginata*; 39 (1), 91-99  
 kavalactone; 39 (1), 91-99  
 kidney; 39 (2), 237-243  
 Kluai Namwa; 39 (4), 509-516

## L

lactoperoxidase activity; 39 (6), 739-749  
 lactoperoxidase system; 39 (1), 77-89  
 lacunary refinement; 39 (4), 549-563  
 LA-hyperrings; 39 (5), 651-657  
 Lambda; 39 (4), 549-563  
 land cover; 39 (5), 659-664  
 larvae; 39 (3), 293-301  
 latent heat; 39 (2), 195-203  
 lateral capacity; 39 (6), 751-758  
 LC/MS/MS; 39 (3), 335-340

LC-MS; 39 (1), 123-129  
 leaf nutrient; 39 (5), 675-683  
 leaf-to-air vapor pressure deficit; 39 (2), 215-223  
 lettuce; 39 (5), 633-640  
 lighting; 39 (4), 523-529  
 limit analysis; 39 (6), 751-758  
 linseed oil; 39 (1), 1-10  
 lipid; 39 (2), 237-243  
 litter thickness; 39 (3), 303-316  
 liver segmentation; 39 (6), 793-801  
 liver; 39 (2), 237-243  
 Loei; 39 (4), 479-487  
 low-calorific-producer-gas; 39 (4), 489-496  
 lowland and upland; 39 (5), 675-683

## M

machine learning; 39 (2), 171-178  
 Malaysian Technical University Network; 39 (3), 399-405  
 mannitol; 39 (6), 723-729  
 mathematical model; 39 (6), 765-772  
 metabolic syndrome; 39 (6), 787-792  
 metabolomics; 39 (2), 153-162  
 metabotype; 39 (2), 153-162  
*Metarhizium anisopliae*; 39 (3), 325-334  
 meteorology; 39 (5), 659-664  
 methicillin; 39 (5), 585-588  
 microbial community analysis; 39 (6), 803-812  
 microorganism growth; 39 (1), 77-89  
 microwave hydrolysis; 39 (2), 245-252  
 milk thiocyanate; 39 (6), 739-749  
 minimally-processed litchi fruit; 39 (6), 715-722  
 minimum bactericidal concentration; 39 (2), 163-170  
 minority outcast; 39 (5), 565-576  
 modification and hybridization; 39 (5), 641-650  
 modified atmosphere packaging; 39 (6), 715-722  
 modified differential evolution (MODDE); 39 (5), 609-617  
 Monastery bamboo; 39 (2), 215-223  
*Monochoria*; 39 (1), 49-57  
 monotonic loading; 39 (4), 451-461  
 montelukast; 39 (3), 335-340  
 morphology; 39 (3), 293-301  
*Morus alba* L.; 39 (3), 407-414  
 multidrug-resistant bacteria; 39 (2), 163-170  
 multiplex PCR; 39 (6), 731-737  
 multi-stage processes; 39 (1), 59-67  
 municipal solid waste; 39 (5), 685-695  
 mupirocin; 39 (5), 585-588  
*Musa* spp. carnauba wax; 39 (4), 509-516  
 Museialk-Orlicz function; 39 (4), 549-563

## N

n-6/n-3 fatty acid ratio; 39 (1), 1-10  
 narrowband; 39 (5), 601-608  
 negative binomial distribution; 39 (3), 355-358  
 neuronal cell density; 39 (2), 237-243  
 neutralization; 39 (2), 261-268

N-fuzzy bi  $\Gamma$ -ideal; 39 (4), 415-427  
 N-fuzzy bi  $\Gamma$ -ternary subsemigroup; 39 (4), 415-427  
 N-fuzzy set; 39 (4), 415-427  
 nitrogen; 39 (3), 269-273  
 nonbinary code; 39 (5), 601-608  
 non-uniform bound; 39 (3), 355-358  
 nuclear magnetic resonance; 39 (2), 153-162  
 numerical analysis; 39 (6), 751-758  
 Numerical Integral Equation (NIE) method; 39 (6), 779-786  
 nutritional status; 39 (3), 341-346

**O**

*Ocimum africanum*; 39 (4), 539-547  
 oil palm; 39 (6), 709-714  
 on-line chromatography; 39 (1), 123-129  
 orchids; 39 (4), 479-487  
 ordinary differential equations; 39 (3), 383-397  
 osteoarthritis; 39 (3), 407-414  
 OTUs; 39 (1), 49-57  
 ovary; 39 (2), 225-235  
 oversampling; 39 (5), 565-576  
 overweight; 39 (6), 787-792  
 oxidative stress; 39 (3), 407-414  
 oxyresveratrol; 39 (3), 407-414

**P**

Pai Liang; 39 (2), 215-223  
 pain; 39 (5), 589-599  
 particle swarm optimization; 39 (2), 171-178  
 patients with a diagnosis of schizophrenic  
   methamphetamine abuse; 39 (2), 205-214  
 PCR-DGGE; 39 (1), 41-47  
 pharmacokinetics; 39 (3), 335-340  
 phenetic study; 39 (1), 49-57  
 phosphorus; 39 (3), 269-273  
 Phu Kradueng National Park; 39 (4), 479-487  
 Phu Kradung sandstone; 39 (4), 451-461  
 physical activity; 39 (6), 787-792  
 phytoalexin; 39 (5), 633-640  
 piceatannol-rich; 39 (5), 589-599  
 pigs; 39 (1), 101-108  
 pile; 39 (6), 751-758  
 point metric; 39 (3), 355-358  
 Poisson approximation; 39 (3), 355-358  
 polyethylene glycol; 39 (6), 723-729  
 polylactic acid; 39 (2), 253-260  
 polyol; 39 (1), 19-25  
 porous; 39 (4), 489-496  
 potato; 39 (2), 185-194  
 power line communications; 39 (5), 601-608  
 pressure ulcer; 39 (3), 341-346  
 prevalence; 39 (6), 787-792  
 producer gas; 39 (4), 489-496  
 protection; 39 (4), 429-437  
 protein stability; 39 (4), 531-537

**Q**

quality control; 39 (4), 463-470  
 quality; 39 (2), 253-260; 39 (6), 715-722

**R**

*R. kanagurta*; 39 (1), 117-121  
*Rafflesia kerrii*; 39 (2), 163-170  
 RAPD analysis; 39 (4), 471-477  
*Rastrelliger brachysoma*; 39 (1), 117-121; 39 (2), 225-235  
 raw milk quality; 39 (1), 77-89  
 RD6; 39 (6), 723-729  
 red tilapia; 39 (6), 813-817  
 relative performance; 39 (2), 185-194  
 reliability; 39 (2), 205-214  
 reproductive failure; 39 (2), 225-235  
 resource allocation; 39 (3), 269-273  
 review; 39 (5), 641-650  
 Rhizo-product; 39 (1), 109-116  
 rice yield enhancement; 39 (1), 109-116  
 Riesz space; 39 (4), 549-563  
 riparian vegetation; 39 (3), 303-316  
 risk theory; 39 (4), 439-449  
 rock salt; 39 (2), 143-151

**S**

16S rRNA gene; 39 (1), 41-47  
*S. garrettiana* extract; 39 (5), 589-599  
*Salmonella enterica*; 39 (3), 373-381  
 saturated; 39 (4), 451-461  
 scavenger; 39 (5), 685-695  
 science and technology; 39 (3), 399-405  
 secant function; 39 (1), 11-18  
 sensible heat; 39 (2), 195-203  
 serotype; 39 (4), 429-437  
 sesquiterpenes; 39 (1), 131-135  
 shear rate; 39 (5), 625-631  
 shelf life; 39 (2), 253-260  
 Sherichhu River; 39 (3), 303-316  
 short term diet; 39 (3), 347-353  
 shrimp (*Penaeus monodon*); 39 (2), 261-268  
 simulation optimization; 39 (5), 577-583  
 simulation; 39 (1), 27-39  
 SMOTE; 39 (5), 565-576  
 snake head fish; 39 (2), 137-142  
 soft skills; 39 (3), 399-405  
 soil carbon; 39 (6), 697-707  
 soil properties; 39 (5), 675-683  
 soil water content; 39 (2), 195-203  
 solar-dried banana; 39 (2), 253-260  
 somaclonal variation; 39 (6), 723-729  
 sorption isotherm; 39 (1), 19-25  
 species composition; 39 (3), 303-316  
 spectral accuracy; 39 (3), 383-397  
 spectral methods; 39 (3), 383-397  
*Staphylococcus aureus*; 39 (5), 585-588

statistical convergent; 39 (4), 549-563  
Stein–Chen method; 39 (3), 355-358  
storage temperature; 39 (2), 253-260  
stormwater; 39 (4), 497-507  
*Streptococcus agalactiae*; 39 (4), 429-437  
stress susceptibility index and stress tolerance index;  
39 (2), 185-194  
strip-strip-plot structure; 39 (1), 59-67  
strongly; 39 (4), 549-563  
sub-species; 39 (3), 373-381  
superoxide dismutase; 39 (4), 539-547  
supply chain management of rice; 39 (5), 609-617  
support vector machines; 39 (2), 171-178  
surface water quality; 39 (4), 497-507  
surplus process; 39 (4), 439-449  
swarm intelligence; 39 (5), 641-650

## T

terapontids; 39 (3), 293-301  
Thai Stressful Life Events; 39 (2), 205-214  
Thailand; 39 (1), 49-57; 39 (1), 117-121  
thermophilic consortia; 39 (6), 803-812  
tilapia; 39 (4), 429-437  
tolerance; 39 (2), 185-194  
tongue tissue; 39 (1), 117-121  
total PYY; 39 (3), 347-353  
traditional Thai medicines; 39 (4), 463-470  
trait relationship; 39 (6), 709-714  
transient; 39 (6), 765-772  
tropical climate; 39 (5), 659-664  
true triaxial; 39 (2), 143-151

## U

urban runoff; 39 (4), 497-507  
U-tube viscometer; 39 (5), 625-631

## V

vaccine; 39 (4), 429-437  
validity; 39 (2), 205-214  
vector symbol decoding; 39 (5), 601-608  
vegetarian diets; 39 (3), 347-353  
vinegar; 39 (2), 245-252  
viscosity; 39 (5), 625-631

## W

water salinity tolerance; 39 (2), 137-142  
water use efficiency; 39 (2), 215-223  
workplace; 39 (3), 399-405  
wound-healing; 39 (3), 341-346

## Y

yield and yield components; 39 (6), 709-714  
yield; 39 (2), 185-194  
young coconut juice; 39 (2), 237-243

## Z

*Zeugodacus cucurbitae*; 39 (3), 325-334