

Keywords Index

A

($\alpha 1$, $\alpha 2$; $\beta 1$, $\beta 2$)-bipolar fuzzy subsemigroup; 41(2), 405-413
 acid; 41(2), 355-362
 acid degumming; 41(3), 513-521
 adenine nucleotide translocase protein; 41(6), 1211-1218
 adsorption; 41(1), 199-206; 41(5), 1076-1083
 adsorption kinetics; 41(1), 21-29
 advanced oxidation; 41(5), 1084-1092
 aerosols; 41(1), 207-215
 aged garlic extract; 41(2), 311-318
 A-ideals; 41(2), 299-304
 alarm calls; 41(1), 222-228
 algal recruitment; 41(2), 483-489
 algebraic systems; 41(6), 1248-1259
 Aligote; 41(2), 254-258
 alkaline hydrothermal reaction; 41(3), 506-512
 allelopathy; 41(3), 619-623
 alternative splicing; 41(2), 332-340
 altitude; 41(5), 1037-1047
 alumina-water nanofluids; 41(1), 109-116
 aluminum alloy; 41(2), 445-449
 ammoniated brine; 41(5), 984-991
 analytic functions of operators; 41(4), 727-733
 analytical solution; 41(4), 716-726
 anatomy; 41(4), 788-794
Annona muricata; 41(2), 414-420
 anthropometric measurements; 41(1), 89-95
 anti-aging properties; 41(4), 924-933
 antibacterial; 41(1), 246-253
 antidiabetic; 41(4), 942-950
 antifungal activity; 41(2), 465-470
 antioxidant peptides; 41(4), 924-933
 antioxidant; 41(3), 686-692; 41(3), 708-715; 41(4), 942-950
 anti-proliferative activity; 41(4), 846-855
 apoptosis; 41(1), 229-236; 41(4), 846-855
 approximate solution; 41(4), 716-726
 approximate work index; 41(3), 664-668
 arch dam; 41(5), 1059-1068
 ARIMA; 41(6), 1294-1300
 arithmetic functions; 41(6), 1328-1338
 artificial bee colony; 41(1), 151-158
Asparagus racemosus; 41(6), 1275-1281
 ASPECT; 41(4), 899-906
 associated factors; 41(4), 856-861
 athlete; 41(4), 856-861

ATLL; 41(5), 1101-1109
 authentication; 41(5), 1131-1135
 autonomic system; 41(3), 599-606
 auxiliary variable; 41(1), 53-64; 41(1), 117-122
 axisymmetric flow; 41(4), 915-923
Azospirillum; 41(4), 838-845

B

Babylonia areolata; 41(6), 1404-1412
Bacillus thuringiensis; 41(4), 804-812
 backhaul; 41(1), 151-158
Bacopa monnieri (L.) Wettst; 41(2), 397-404
 bacteriocin; 41(1), 37-44
 balancing ability; 41(6), 1260-1266
 banana peel; 41(1), 21-29
 Basic Red 9; 41(1), 199-206
 batch service; 41(2), 363-374
 beach ridge plain; 41(5), 1136-1145
 beating; 41(6), 1356-1359
 behaviour; 41(3), 490-493
 Bernstein polynomials; 41(3), 567-579
 beta binomial cumulative distribution function; 41(1), 96-108
 betaine; 41(3), 490-493
 Betong Chicken (KU line); 41(6), 1211-1218
 Bhutan; 41(5), 1037-1047
 bi-hyperideal; 41(6), 1241-1247
 binomial approximation; 41(1), 96-108
 bioactive proteins; 41(4), 924-933
 biochemical tests; 41(1), 37-44
 biodegradable polymers; 41(2), 355-362
 biodiversity conservation; 41(4), 747-754
 bioheat equation; 41(3), 529-538
 Biolan; 41(2), 254-258
 biological efficiency; 41(2), 292-298
 biomass; 41(3), 506-512
 biomechanical study; 41(5), 999-1004
 biopsy; 41(5), 1014-1020
 bivalves; 41(1), 165-173
 black aspergilli; 41(1), 181-191
 black rice; 41(2), 383-388
 blending; 41(2), 450-458
 block diagonal matrix; 41(2), 319-331
 blow molding; 41(5), 1005-1013
 body weight; 41(6), 1226-1232
 bone stress; 41(2), 375-382

bone; 41(3), 700-707
 Borneo; 41(5), 1048-1058
 boronizing; 41(2), 349-354; 41(3), 539-544
 bottle; 41(5), 1005-1013
 box-behnken; 41(4), 879-886
 Brahmi; 41(2), 397-404
 brain tumor; 41(3), 679-685
 bulk arrival; 41(2), 363-374
 Buntal Bay; 41(5), 1048-1058
 BYCF cathode; 41(3), 607-611
 BYCF-GDC₁₀; 41(3), 607-611

C

Cache-as-a-Service; 41(4), 828-837
 cadmium; 41(5), 1029-1036; 41(6), 1413-1420
 calc-alkalic rocks; 41(6), 1233-1240
 calcium carbonate; 41(4), 777-782
 calcium chloride; 41(1), 199-206
 calcium oxalate crystal; 41(2), 414-420
Calmodulin gene expression; 41(1), 246-253
 capital investment; 41(1), 1-11
 carapace width; 41(6), 1226-1232
 carbon nanotube; 41(4), 907-914
 carbon offset; 41(3), 580-586
 carbon sequestration; 41(3), 580-586
 carbon stock; 41(3), 580-586
 carbonated soft drinks; 41(2), 259-264
 cardiac patients; 41(3), 658-663
 carpet industry; 41(4), 887-898
 carrier agents; 41(1), 65-73
 case study; 41(3), 559-566
 cassava starch; 41(3), 506-512
 cationic flotation; 41(3), 545-550
 cell differentiation; 41(5), 1021-1028
 ceramics; 41(6), 1314-1318
 CFD; 41(5), 966-973
 Chae Hom volcanics; 41(6), 1233-1240
 characterization of the beta binomial random variable;
 41(1), 96-108
 chemical and operating factors; 41(3), 545-550
 chemometric; 41(5), 1131-1135
 Chir-pine; 41(4), 742-746
 chitosan; 41(6), 1396-1403
 chlorhexidine; 41(1), 144-150
 chloride environments modelling; 41(6), 1309-1313
Chromolaena odorata; 41(6), 1413-1420
 cinnamon oil; 41(1), 144-150
 circular microchannels; 41(1), 109-116
 classification; 41(2), 319-331; 41(4), 870-878;
 41(5), 1014-1020
 cloud computing; 41(4), 828-837
 clove oil; 41(1), 144-150
 CNS tumours; 41(5), 1014-1020
 CO₂ capture; 41(5), 984-991
 coagulation; 41(1), 207-215
 cognitive function; 41(3), 551-558
 collaborative learning; 41(6), 1360-1366
 combined model; 41(6), 1294-1300
 comparison of methods; 41(5), 1178-1183
 completely ordered k-regular semiring; 41(3), 501-505
 completely regular semiring; 41(3), 501-505
 computational fluid dynamics; 41(1), 109-116

computer simulation; 41(3), 559-566
 Comsol Multi-physics; 41(3), 494-500
 condition factor; 41(5), 1162-1170
 conditional heteroscedastic nonlinear autoregressive model;
 41(4), 813-821
 conductive polymer composites; 41(1), 174-180
 confocal laser microscope; 41(6), 1282-1286
 Congo red; 41(5), 1076-1083
 constant retrial policy; 41(2), 363-374
 contaminated soil; 41(1), 12-20
 contamination; 41(2), 259-264
 continued fraction; 41(6), 1267-1274
 continuous optimal control; 41(3), 587-598
 convergence free; 41(4), 934-941
 copper; 41(5), 1029-1036
 cornstarch; 41(4), 777-782
 corrosion; 41(2), 445-449
 crack; 41(5), 1059-1068
 crevice corrosion propagation; 41(6), 1309-1313
 Crofton weed; 41(2), 465-470
 crop planning model; 41(5), 1116-1123
cry gene; 41(4), 804-812
 crystal protein; 41(4), 804-812
 CSCM model; 41(4), 951-958
 cucumber; 41(6), 1390-1395
 culture-dependent; 41(2), 285-291
 culture-independent; 41(2), 285-291
 current density; 41(3), 649-657
 curvature ratio; 41(4), 907-914
Cyrtodactylus condorensis species complex; 41(6), 1319-1327
 cytokine; 41(3), 641-648
 cytotoxicity; 41(5), 1029-1036

D

damage rating; 41(6), 1390-1395
 dean numbe; 41(4), 907-914
 decolorization; 41(4), 783-787
 deficiency; 41(4), 856-861
 degradation; 41(2), 259-264
 DEMO; 41(5), 1154-1161
 dental stem cells; 41(2), 265-270
 deposition; 41(1), 207-215
 depression; 41(3), 658-663
 desalination; 41(5), 984-991
 Desmodieae; 41(4), 788-794
 die shaping; 41(5), 1005-1013
 differential evolution; 41(5), 1116-1123; 41(6), 1294-1300
 differential transformation method; 41(4), 716-726
 dilation; 41(3), 669-678
 dimple; 41(5), 966-973
 dioecy; 41(1), 30-36
 Direct Red 83; 41(1), 199-206
 discomfort; 41(2), 271-275
 discrete optimal control; 41(3), 587-598
 discriminant analysis; 41(2), 319-331; 41(3), 700-707
 disease severity; 41(5), 1021-1028
 distress calls; 41(1), 222-228
 diversity; 41(5), 1037-1047; 41(5), 1171-1177;
 41(6), 1348-1355
 DMAIC; 41(4), 887-898
 DNA nicking; 41(1), 246-253
 donning; 41(4), 777-782

double sampling; 41(1), 53-64; 41(1), 117-122
 drum drying; 41(1), 65-73
 dyslipidemia; 41(2), 305-310

E

ecological characteristics; 41(2), 459-464
 ecology; 41(5), 1110-1115
 economic service model; 41(4), 828-837
 economic study; 41(5), 1084-1092
 economic value; 41(2), 421-435
 egg white hydrolysates; 41(4), 924-933
 elastic properties; 41(5), 992-998
 electric field; 41(3), 649-657
 electrical conductivity; 41(1), 174-180
 electrical resistivity tomography; 41(5), 974-983
 electro-coagulation; 41(5), 1084-1092
 electro-Fenton; 41(5), 1084-1092
 electron microscopy; 41(5), 1029-1036
 element; 41(3), 700-707
 elemental status; 41(5), 1110-1115
 embedded board; 41(2), 436-444
 endothelial barrier; 41(6), 1204-1210
 endothelial hyperpermeability; 41(6), 1204-1210
 End-User Training; 41(6), 1360-1366
 enriched foods; 41(5), 1110-1115
 ENSO; 41(1), 74-80
Epinephelus fuscoguttatus; 41(3), 490-493
 equilibrium isotherms; 41(1), 21-29
 ergonomics; 41(1), 89-95; 41(2), 271-275
 eugenol; 41(3), 641-648
 eugenyl acetate; 41(3), 641-648
 evacuation; 41(4), 769-776
 exponential estimator; 41(1), 53-64
 extracts; 41(2), 465-470

F

F₁ hybrid; 41(6), 1421-1427
 Fabaceae; 41(4), 788-794
 factor analysis; 41(4), 870-878
 Fast Fourier Transform (FFT); 41(6), 1301-1308
 fat content; 41(5), 1178-1183
 fatigue; 41(2), 271-275; 41(2), 349-354
 fault; 41(3), 669-678
 FEA; 41(4), 951-958
 feed efficiency; 41(5), 1069-1075
 feeding habit; 41(5), 1162-1170
 feeding of farm animals; 41(3), 587-598
 fermentable sugars; 41(1), 237-245
 ferrites; 41(5), 992-998
 fine root dynamics; 41(2), 341-348
 fingerprint analysis; 41(5), 1131-1135
 finite element; 41(3), 529-538; 41(5), 1059-1068
 fish oil; 41(4), 862-869
 fistulated dry cows; 41(4), 862-869
 floral transition; 41(2), 332-340
 flow instability; 41(6), 1301-1308
 flowering locus T; 41(2), 332-340
 fly ash; 41(4), 734-741; 41(5), 1184-1191
 follicular fluid protein; 41(1), 192-198
 food partitioning; 41(2), 276-284
 foot pressure; 41(2), 375-382
 forensic science; 41(3), 700-707

forest; 41(4), 747-754
 forest ecosystem services; 41(2), 421-435
 formula; 41(2), 292-298
 fraction of demand backordered; 41(6), 1376-1380
 freshwater fish oil; 41(6), 1287-1293
 froth flotation; 41(6), 1314-1318
 fruit infestation; 41(1), 30-36
 FTIR; 41(3), 624-630; 41(4), 879-886; 41(5), 992-998
 functional balance training; 41(6), 1260-1266
 furniture mismatch; 41(1), 89-95
 fusion of land qualities; 41(6), 1367-1375
 fusion; 41(5), 1154-1161
 fuzzy A-ideals; 41(2), 299-304
 fuzzy additive constraint; 41(4), 761-768
 fuzzy completely prime; 41(2), 471-482
 fuzzy dynamic programming problem; 41(4), 761-768
 fuzzy left (right, bi-) ideal; 41(2), 405-413
 fuzzy multiplicatively separable return; 41(4), 761-768
 fuzzy quasi-prime; 41(2), 471-482
 fuzzy real number; 41(4), 934-941
 fuzzy gX -no where dense set; 41(1), 216-221

G

gastropods; 41(1), 165-173
 GC-MS; 41(5), 1131-1135
 GDC10; 41(3), 607-611
 Gd-DTPA; 41(6), 1396-1403
 gene flow; 41(4), 742-746
 generalised linear models; 41(4), 870-878
 generalized bipolar fuzzy semigroup; 41(2), 405-413
 generalized extreme value distribution; 41(6), 1381-1389
 generalized fuzzy (gX , gY)-continuity; 41(1), 216-221
 generalized fuzzy gX -closed set; 41(1), 216-221
 generalized fuzzy gX -open set; 41(1), 216-221
 genetic differentiation; 41(3), 631-640
 genetic variation; 41(1), 81-88
 geological structure; 41(5), 974-983
 geopolymer; 41(4), 734-741
 germ cells; 41(3), 693-699
 GIS; 41(6), 1367-1375
 glioma; 41(3), 679-685
 glycerol; 41(6), 1282-1286
 grain yield; 41(6), 1421-1427
 grape seed extract; 41(3), 708-715
 green cabbage; 41(4), 783-787
 growth; 41(5), 1069-1075
 growth pattern; 41(5), 1162-1170
 growth performance; 41(5), 1093-1100
 growth profile; 41(1), 37-44
 growth traits; 41(6), 1219-1225
 Gulf of Thailand; 41(5), 1136-1145; 41(6), 1319-1327;
 41(6), 1404-1412

H

H₂O₂; 41(1), 246-253
 habitat preference; 41(5), 1171-1177
 habituation; 41(1), 222-228
Haemonchus contortus; 41(1), 81-88
 halfbeak; 41(5), 1162-1170
 hand segmentation; 41(2), 436-444
 handsheet; 41(6), 1356-1359
 haplotype network; 41(3), 631-640

Hardgrove grindability index; 41(3), 664-668
 heading date; 41(2), 332-340
 healthy oil; 41(2), 450-458
 heart rate variability; 41(3), 599-606
 heat transfer; 41(4), 915-923; 41(5), 966-973
 heat transfer coefficient; 41(1), 109-116
 heat treatment; 41(3), 539-544
 heavy metals; 41(5), 1110-1115
 Hemiramphidae; 41(3), 693-699
Hevea brasiliensis; 41(2), 341-348
 high dimensional data; 41(2), 319-331
 high temperature; 41(3), 494-500
 high-heeled shoes; 41(6), 1260-1266
 Himalaya; 41(4), 742-746; 41(5), 1037-1047
 hippocampus; 41(2), 311-318
 histochemistry; 41(2), 414-420
 histology; 41(3), 693-699
 horizontal distribution; 41(5), 1048-1058
 HPLC; 41(3), 522-528
 HPLC fingerprint; 41(2), 397-404
 human body; 41(3), 649-657
 human cancer cell lines; 41(4), 846-855
 hybrid conductive filler; 41(1), 174-180
 hydrocarbon utilizing bacteria; 41(1), 12-20

I

illegal activities; 41(4), 747-754
 illite; 41(6), 1233-1240
 image analysis; 41(6), 1282-1286
 image processing; 41(1), 136-143
 immune cytokines; 41(6), 1287-1293
Impatiens balsamina L.; 41(3), 686-692
 imposex female; 41(6), 1404-1412
 improved differential evolution; 41(5), 1116-1123
 inbreeding depression; 41(6), 1219-1225
 inbreeding trend; 41(6), 1219-1225
 index; 41(4), 769-776
 Indian Ocean Dipole; 41(1), 74-80
 indoor air quality; 41(1), 207-215
 inequality; 41(5), 1192-1203
 infinite product; 41(6), 1267-1274
 inflammation; 41(6), 1204-1210
 inheritance; 41(2), 383-388
 insole slope; 41(2), 375-382
 instrument; 41(3), 658-663
 insufficiency; 41(4), 856-861
 interaction mechanism analysis; 41(1), 229-236
 intertidal; 41(1), 165-173
 intertidal community; 41(2), 483-489
 intertidal flat; 41(5), 1048-1058
 inventory modeling; 41(6), 1376-1380
 inverse of covariance matrix; 41(2), 319-331
 Iran-Black; 41(6), 1219-1225
 ITER; 41(5), 1154-1161
 ITS-2; 41(1), 81-88

J

joint stress; 41(2), 375-382

K

Kaempferia parviflora; 41(2), 305-310
 KCC model; 41(4), 951-958

kinetics; 41(5), 1076-1083
 Kolmogorov-Smirnov test; 41(6), 1381-1389
 Kra Island; 41(6), 1319-1327
 kraft pulp; 41(6), 1356-1359

L

L. plantarum ATM11; 41(1), 37-44
 lacquer; 41(3), 700-707
 lactic acid; 41(3), 506-512
 landslide; 41(2), 421-435
 laser; 41(3), 529-538
 LC/MS/MS; 41(1), 192-198
 leaf galls; 41(5), 1021-1028
 lean techniques; 41(3), 559-566
 lemongrass oil; 41(1), 144-150
 Leucaena leaves extract; 41(3), 619-623
Leucaena leucocephala; 41(3), 619-623
 light-emitting diode (LED); 41(5), 1093-1100
 lightweight composite; 41(4), 734-741
 linear dependence; 41(6), 1328-1338
 linear formulas; 41(6), 1248-1259
 linear hypersubstitutions; 41(6), 1248-1259
 linear terms; 41(6), 1248-1259
 lingzhi; 41(2), 292-298
 linseed oil; 41(4), 862-869
Litsea glutinosa; 41(1), 30-36
 local EPNs; 41(2), 459-464
 low protein diets; 41(6), 1211-1218
 LPG valve boss; 41(5), 1146-1153
 lymphoproliferation; 41(5), 1101-1109

M

(*m, n*)-quasi hyperideal; 41(6), 1241-1247
m-bi-hyperideal; 41(6), 1241-1247
 machine efficiency improvement; 41(4), 887-898
 macrobenthos; 41(5), 1048-1058
 macrophage phagocytosis; 41(3), 641-648
Macrotermes sp.; 41(2), 459-464
 Madden-Julian Oscillation; 41(1), 74-80
 MAG-M; 41(5), 1146-1153
 malachite green; 41(1), 21-29
 Malaysian coastal waters; 41(5), 1162-1170
Mangifera indica; 41(3), 522-528; 41(4), 942-950
 mangiferin; 41(3), 522-528; 41(4), 942-950
 mango; 41(4), 942-950
 markers associated; 41(5), 1069-1075
 Markov chain; 41(5), 1124-1130
 martensitic stainless steel; 41(3), 539-544
 mass concrete; 41(5), 1184-1191
 maturation; 41(6), 1226-1232
 mature T-cell disorder; 41(5), 1101-1109
 mechanical extraction; 41(4), 879-886
 mechanical property; 41(1), 159-164
 medulloblastoma; 41(5), 1014-1020
 mendong fiber; 41(3), 624-630
 mercerization; 41(3), 624-630
 mesenchymal stem cells; 41(2), 265-270
 mesophyll; 41(5), 1021-1028
 meta-heuristic; 41(1), 151-158
 metakaolin; 41(4), 734-741
 meteorological tower; 41(4), 755-760
 methionine supplementation; 41(6), 1211-1218

methoxyflavones; 41(2), 305-310
 MHD; 41(1), 123-135
 mice; 41(5), 959-965
 microalgae; 41(5), 1093-1100
 microbial loads; 41(5), 1084-1092
 microwave furnace; 41(3), 494-500
 microwave radiation; 41(3), 506-512
 microwave-assisted water pretreatment; 41(1), 237-245
 milk; 41(5), 1178-1183
 mineral processing; 41(6), 1314-1318
 mini-channels; 41(3), 612-618
 minimal A-ideals; 41(2), 299-304
 minirhizotron; 41(2), 341-348
 mixed deciduous forest with bamboo; 41(2), 421-435
 mixed deciduous forest; 41(2), 421-435
 mixed feldspar; 41(6), 1314-1318
 mixture design; 41(1), 65-73
 MMP-1; 41(6), 1275-1281
 model; 41(4), 769-776
 modification; 41(2), 355-362
 modified rice husk; 41(5), 1076-1083
 modified Solvay process; 41(5), 984-991
 molecular docking; 41(1), 229-236
 molecular markers; 41(2), 265-270; 41(6), 1348-1355
 molting; 41(6), 1226-1232
 moments method; 41(6), 1381-1389
 monitoring system; 41(6), 1339-1347
 monograph; 41(2), 397-404
 morphological traits; 41(6), 1348-1355
 Morris water maze; 41(2), 311-318
 mosquitoes; 41(4), 804-812
 MRI contrast agent; 41(6), 1396-1403
 MTT assay; 41(4), 846-855
 mud crab; 41(1), 45-52
 multi-magnetrons; 41(3), 494-500
 multiple nonlinear regression; 41(6), 1381-1389
 mung bean; 41(3), 619-623
 mushroom cultivation; 41(2), 292-298
Mycobacterium; 41(3), 631-640
 Mynas' playback; 41(1), 222-228
 myophily; 41(1), 30-36

N

Nakhon Si Thammarat; 41(6), 1319-1327
 nanofluid; 41(3), 612-618
 nanoparticles; 41(6), 1396-1403
 nanotube fin; 41(3), 612-618
 nature reserve; 41(4), 747-754
nd4; 41(1), 81-88
 neurobic exercise; 41(3), 551-558
 neutron/gamma radiation; 41(2), 445-449
 new record; 41(6), 1319-1327
 NFAT; 41(3), 679-685
 Nile tilapia; 41(6), 1287-1293
 nitric oxide; 41(3), 599-606
 nitrogen fixation; 41(4), 838-845
 nLA-ring; 41(2), 471-482
 noncommunicable diseases; 41(5), 1124-1130
 non-uniform bound; 41(1), 96-108
 normal to mild cognitive impairment; 41(3), 551-558
 NR/NBR blends; 41(1), 159-164
 nusselt number; 41(4), 907-914

O

offline signature analysis; 41(1), 136-143
 older people; 41(3), 551-558
 Olig2; 41(3), 679-685
 omega-9 fatty acid; 41(6), 1287-1293
 online; 41(6), 1339-1347
 ontogenetic dietary shift; 41(2), 276-284
 operator matrix; 41(4), 727-733
 optically stimulated luminescence (OSL) dating; 41(5), 1136-1145
 optimal order quantity; 41(6), 1376-1380
 optimization; 41(1), 65-73; 41(3), 559-566
 oral *Candida* biofilm; 41(1), 144-150
 ordered *k*-regular semiring; 41(3), 501-505
 ordered semiring; 41(3), 501-505
 ordering cost; 41(1), 1-11
 organic matter; 41(5), 1084-1092
 organs; 41(3), 649-657
 orthotropic stress; 41(3), 669-678
 oxidation resistance; 41(3), 539-544
 oxidative enzymes; 41(6), 1287-1293
 oxidative stress; 41(2), 311-318

P

p53; 41(1), 229-236
 PAHs; 41(6), 1413-1420
 parental line; 41(6), 1421-1427
 parison; 41(5), 1005-1013
 partial backlogging; 41(1), 1-11
 particulate matter; 41(6), 1339-1347
 path analysis; 41(6), 1421-1427
 pathogenicity; 41(2), 459-464
 patrol route; 41(4), 747-754
 PCR; 41(1), 45-52
 PCR-DGGE; 41(1), 12-20; 41(2), 285-291
Pelates quadrilineatus; 41(2), 276-284
 penalized spline method; 41(4), 813-821
 Penang Island; 41(1), 165-173
 peninsular Thailand; 41(3), 631-640
 percent relative efficiency; 41(1), 117-122
 performance index; 41(4), 907-914
 pericarp pigment; 41(2), 383-388
 periodic review; 41(1), 1-11
 peroxidase; 41(4), 783-787
 PET bottle; 41(2), 259-264
 petroleum based sulfur; 41(1), 159-164
 petroleum consumption; 41(6), 1294-1300
 PGPR; 41(4), 838-845
 pharmacognostic study; 41(2), 397-404
 phloem; 41(5), 1021-1028
 phosphorus elimination; 41(3), 513-521
 photoaging; 41(6), 1275-1281
 phylogeny; 41(3), 631-640
 physicochemical characterization; 41(1), 37-44
 phytochemicals; 41(3), 686-692
 phytochemical compounds; 41(4), 822-827
 phytoremediation; 41(6), 1413-1420
 PI-88 analogue; 41(4), 795-803
 pigment content; 41(2), 414-420
 pigs; 41(5), 1069-1075
 pineapple peel; 41(1), 199-206; 41(1), 237-245
 plant growth; 41(4), 838-845

plant parasite; 41(5), 1021-1028
 plant population; 41(2), 389-396
 plasma; 41(5), 1154-1161
 plate and screw fixation; 41(5), 999-1004
 plaunotol; 41(4), 846-855
 PM10; 41(6), 1339-1347
 PM2.5; 41(6), 1339-1347
 poison food technique; 41(2), 465-470
 polar derivative; 41(5), 1192-1203
 pollen cone; 41(4), 742-746
 polyethylene terephthalate; 41(2), 259-264
 polynomial; 41(5), 1192-1203
 porcine cumulus oocyte complexes (pCOCs);
 41(5), 1029-1036
 porcine oocyte; 41(1), 192-198
 porous medium; 41(1), 123-135
 potash; 41(3), 545-550
 predictive modeling; 41(1), 136-143
 pre-flight calls; 41(1), 222-228
 pressure drop; 41(1), 109-116; 41(3), 612-618
 price discount; 41(1), 1-11
 processing of materials; 41(3), 494-500
 procollagen; 41(6), 1275-1281
 production cost; 41(5), 1093-1100
 productivity improvement; 41(3), 559-566
 prolonged standing; 41(2), 271-275
 promoter; 41(2), 332-340
 proportion; 41(5), 1124-1130
 protein content; 41(5), 1178-1183
 proximal radius fracture; 41(5), 999-1004
 proximity; 41(4), 899-906
 pulpwood; 41(6), 1356-1359

Q
 quality; 41(2), 254-258; 41(5), 1178-1183
 quantitative analysis; 41(3), 522-528
 quartile function; 41(1), 117-122

R
 rainfall variability; 41(4), 870-878
 RAPD; 41(6), 1348-1355
 rapid synthesis; 41(4), 795-803
 ratio estimators; 41(1), 117-122
 real-time; 41(2), 436-444
 rectangular natural circulation loop; 41(6), 1301-1308
 red palm oil; 41(2), 450-458; 41(3), 513-521
 refined palm oil; 41(6), 1282-1286
 regenerative dentistry; 41(2), 265-270
 regrowth \pm 6.3 m; 41(4), 899-906
 regular semigroup; 41(2), 405-413
 releasing agent; 41(4), 777-782
 renewal time; 41(2), 363-374
 reorder point; 41(6), 1376-1380
 reproductive; 41(6), 1404-1412
 reproductive system; 41(3), 693-699
 research reactor; 41(2), 445-449
 resistance; 41(6), 1390-1395
 rice bran oil; 41(2), 450-458
 rice; 41(3), 619-623; 41(6), 1367-1375
 Rkatsiteli; 41(2), 254-258
 road network; 41(4), 769-776
 rock salt; 41(5), 974-983

rotating torus; 41(4), 915-923
 rough convergence; 41(3), 567-579
 rough lacunary statistical convergence; 41(3), 567-579
 rough statistical convergence; 41(3), 567-579
 rough strong (V, λ)- summable; 41(3), 567-579
 rough strong Cesàro summable; 41(3), 567-579
 rough λ - statistical convergence; 41(3), 567-579
 RRIM 600; 41(2), 341-348
 rRpL10a; 41(5), 959-965
 rubber vulcanization; 41(1), 159-164
 Rubiaceae; 41(5), 1037-1047
 ruggedness; 41(4), 899-906
 ruminal bio-hydrogenation; 41(4), 862-869
 ruminal fermentation; 41(4), 862-869

S

16S rRNA sequencing; 41(1), 37-44
 304 stainless steel; 41(6), 1309-1313
S. olivacea; 41(6), 1226-1232
 saline groundwater; 41(5), 974-983
 sand spit; 41(5), 1136-1145
 sandalwood; 41(5), 1131-1135
 Sarawak; 41(5), 1048-1058
Sataw-Dong; 41(2), 285-291
 SAW; 41(5), 1146-1153
 school furniture; 41(1), 89-95
 Schwabe-Hale cycle; 41(1), 74-80
Scoparia dulcis Linn.; 41(1), 246-253
Scylla spp.; 41(1), 45-52
 SDS-PAGE; 41(1), 192-198
 sea level change; 41(5), 1136-1145
 season; 41(2), 341-348
 seaweeds; 41(5), 1171-1177
 seed hull color; 41(4), 822-827
 seeding rate; 41(2), 389-396
 seismic loading; 41(4), 951-958
 self-regulated learning; 41(6), 1360-1366
 SEM; 41(1), 181-191
 SEM-EDX; 41(2), 445-449
 semihyperring; 41(6), 1241-1247
 sericitization; 41(6), 1233-1240
 serum brain-derived neurotrophic factor; 41(3), 551-558
 server failure; 41(2), 363-374
 sesame oil; 41(2), 450-458
Sesbania grandiflora; 41(6), 1356-1359
 Setiu Wetlands; 41(1), 45-52
 shea butter; 41(4), 879-886
 shore level; 41(2), 483-489
 silicification; 41(6), 1233-1240
 simple linear regression; 41(1), 89-95
 simulation; 41(5), 1005-1013
 simvastatin; 41(2), 305-310
 single exponential smoothing technique; 41(1), 136-143
 single spore technique; 41(1), 181-191
 six sigma; 41(4), 887-898
 skin; 41(3), 529-538
 slag; 41(5), 1184-1191
 slope; 41(4), 899-906
 sLOX-1; 41(3), 599-606
 smoking; 41(3), 599-606
 smoothing spline method; 41(4), 813-821
 sodium feldspar; 41(3), 664-668

soil salinity distribution; 41(5), 974-983
solar radiation; 41(5), 1059-1068
solid space; 41(4), 934-941
soluble sugars; 41(1), 237-245
Southeast Asian monsoon; 41(1), 74-80
spatial memory; 41(2), 311-318
spatial variation; 41(2), 483-489
species composition; 41(1), 165-173
spermatogenesis; 41(5), 959-965
spider mites; 41(6), 1390-1395
splenocyte proliferation; 41(3), 641-648
spray products; 41(1), 207-215
spray pyrolysis; 41(3), 607-611
stable solid compounds; 41(5), 984-991
stagnation point flow; 41(1), 123-135
stainless steel; 41(2), 349-354
standardization; 41(3), 522-528
starch; 41(2), 355-362
state; 41(5), 1124-1130
Stein's method; 41(1), 96-108
Steinernema sp.; 41(2), 459-464
step; 41(5), 1124-1130
stochastic demand; 41(1), 1-11
strain energy; 41(3), 669-678
subspherical idioblast; 41(2), 414-420
sulfated oligosaccharides; 41(4), 795-803
sulfation; 41(4), 795-803
sulfur trioxide-pyridine complex; 41(4), 795-803
sunscreens; 41(3), 708-715
support vector regression; 41(6), 1294-1300
surface roughness; 41(4), 755-760
surface treatment; 41(2), 349-354
surfactant; 41(6), 1413-1420
surgery glove; 41(4), 777-782
sustainability; 41(5), 1146-1153
sweet corn; 41(4), 838-845
sylvinitic; 41(3), 545-550
symmetric space; 41(4), 934-941
synthetic dyes; 41(4), 783-787

T

tamarind powder; 41(1), 65-73
taste preference; 41(3), 490-493
taxonomic revision; 41(4), 788-794
TCRB; 41(5), 1101-1109
TCRG; 41(5), 1101-1109
TCTP; 41(1), 229-236
TDAE oil; 41(1), 159-164
teak plantation; 41(3), 580-586
technical service model; 41(4), 828-837
technology acceptance model; 41(6), 1360-1366
temperature oscillation; 41(6), 1301-1308
tensile strength; 41(3), 624-630
tensor product; 41(4), 727-733
Terapon jarbua; 41(2), 276-284
ternary semigroups; 41(2), 299-304
testis; 41(5), 959-965
texture coefficient; 41(5), 992-998
texture feature; 41(5), 1014-1020
Thai; 41(3), 658-663
Thailand; 41(1), 81-88; 41(4), 804-812
the Chi basin; 41(6), 1367-1375

thermal analysis; 41(5), 1059-1068
thermal cracking; 41(5), 1184-1191
thermal performance; 41(3), 612-618
thermal properties; 41(5), 1184-1191
thermal radiation; 41(1), 123-135
thermal treatment; 41(1), 237-245
thermochemical surface treatment; 41(3), 539-544
thermodynamics; 41(1), 21-29; 41(5), 1076-1083
thermotherapy; 41(3), 529-538
theta function; 41(6), 1267-1274
threshold; 41(2), 363-374
tiger grouper; 41(3), 490-493
tillers; 41(2), 389-396
time series; 41(1), 136-143
time window; 41(1), 151-158
tokamak; 41(5), 1154-1161
tomato; 41(6), 1348-1355
trace elements; 41(5), 1110-1115
Tracy-Singh product; 41(4), 727-733
Tracy-Singh sum; 41(4), 727-733
Trang Province; 41(2), 276-284
transesterification; 41(6), 1282-1286
transitional rhyolite to trachyandesite; 41(6), 1233-1240
transmission lines; 41(3), 649-657
trapezoidal fuzzy numbers; 41(4), 761-768
tropical island; 41(5), 1171-1177
turbine blade cooling; 41(5), 966-973
two-phase flow; 41(6), 1301-1308
tyrosinase inhibition; 41(3), 686-692

U

ultrastructure; 41(1), 181-191
uncoupling protein; 41(6), 1211-1218
unit gradient vector; 41(2), 436-444
upland rice; 41(6), 1421-1427
urban wastewater; 41(5), 1084-1092
used lubricating oil; 41(1), 12-20
UVB; 41(6), 1275-1281

V

V3 region; 41(2), 285-291
VEGF; 41(3), 679-685
vehicle routing problems; 41(1), 151-158
vibration of membrane; 41(4), 716-726
viscous dissipation; 41(1), 123-135
viscous incompressible fluid; 41(4), 915-923
vitamin D; 41(4), 856-861
voluntary carbon market; 41(3), 580-586
vulnerability; 41(4), 769-776
Vympel; 41(2), 254-258

W

waste; 41(2), 292-298
water degumming; 41(3), 513-521
wave exposure; 41(2), 483-489
weakly fuzzy completely prime; 41(2), 471-482
weakly fuzzy quasi-prime; 41(2), 471-482
weedy rice; 41(4), 822-827
welding quality; 41(5), 1146-1153
wheat; 41(2), 389-396
white rice; 41(2), 383-388
white spot syndrome virus; 41(1), 45-52

wind energy; 41(4), 755-760
wind shear; 41(4), 755-760
wine; 41(2), 254-258
Winfrith Concrete; 41(4), 951-958
WMSDs; 41(2), 271-275
wood aggregate; 41(4), 734-741
wrinkle duck-beak; 41(3), 619-623

X

xanthones; 41(3), 522-528
XRD; 41(3), 624-630; 41(5), 992-998

Y

yield; 41(2), 389-396