

Keywords Index

A

5 α -reductase inhibition; 42(6), 1352-1359
 5 α -reductase; 42(5), 1007-1015
 α -glucosidase; 42(1), 35-41
 α -glucosidase inhibition; 42(2), 314-320
 α -glucosidase inhibitory activity; 42(2), 359-364;
 42(6), 1304-1309
 A385T; 42(5), 1021-1026
 abiotic stress; 42(1), 229-235
 ABP; 42(1), 172-179
 abundance; 42(4), 795-801
Acacia mangium; 42(3), 585-589
 accelerometer; 42(5), 984-990
 acclimatization; 42(5), 1000-1006
 acetylation; 42(3), 602-607
 acne; 42(6), 1319-1325
 acoustic monitoring; 42(3), 521-532
 addictive smartphone behavior; 42(3), 714-720
 adipocyte; 42(5), 1053-1058
 adipogenesis; 42(5), 975-983; 42(5), 1053-1058
 adrenergic receptor; 42(4), 928-934
 advanced vector extension; 42(6), 1368-1376
 AERMOD; 42(3), 557-563
 aerobic fitness; 42(6), 1227-1232
 Aeshnidae; 42(5), 965-966
 AGAMOUS; 42(2), 365-370
 aging; 42(6), 1187-1196
 air pollution; 42(3), 557-563
 air quality; 42(5), 957-964
 alcohols; 42(3), 602-607
 alkaline pulping; 42(1), 117-122
 allele specific PCR; 42(5), 1021-1026
 alloxan; 42(1), 35-41
 aluminum; 42(4), 917-922
 amines; 42(3), 602-607
 analysis of variance; 42(3), 705-713
 ancient river; 42(6), 1310-1318
 Andaman Sea of Thailand; 42(1), 42-49
 antagonism; 42(4), 850-857
 anthracite; 42(4), 844-849
 antibacterial; 42(6), 1319-1325
 anticholinergic; 42(4), 734-738
 antidiabetic; 42(1), 35-41
 antimicrobial activity; 42(6), 1389-1396
 antimicrobial mat; 42(1), 101-108

antioxidant; 42(1), 27-34; 42(4), 850-857; 42(5), 1007-1015;
 42(5), 1084-1090; 42(5), 1091-1097;
 42(6), 1319-1325
 antioxidant activity; 42(1), 8-14; 42(2), 371-382;
 42(3), 615-620; 42(5), 1016-1020
 antioxidation; 42(2), 284-291
 anti-adipogenesis; 42(2), 284-291
 anti-aging; 42(5), 1091-1097
 anti-estrogenic activity; 42(4), 865-872
 anti-glycation; 42(5), 1091-1097
 anti-inflammation; 42(6), 1319-1325
 anti-inflammatory activity; 42(2), 371-382; 42(4), 865-872
 anti-obesity; 42(2), 284-291
 anti-oxidative activity; 42(4), 865-872
 anti-testosterone; 42(6), 1352-1359
 anxiety; 42(1), 172-179
 application; 42(6), 1171-1186
 aptamer; 42(1), 180-187
 aramid fiber; 42(3), 637-644
 arithmetic convergence; 42(2), 263-273
 ARMA process; 42(6), 1221-1226
 ascorbic acid; 42(4), 850-857
Aspergillus spp. SEM; 42(6), 1294-1303
 assessment; 42(6), 1407-1413
 asymptotic propertie; 42(3), 533-548
 attraction; 42(5), 1071-1076
 automotive navigation; 42(1), 222-228
 auxin; 42(5), 1000-1006
 AVX; 42(6), 1368-1376
 AVX-2; 42(6), 1368-1376

B

β -O-glucosidase; 42(3), 549-556
 banana chips; 42(1), 203-212
 bat activity; 42(3), 521-532
 beef; 42(3), 645-651
 Beer-Lambert model; 42(5), 1142-1146
 behavior; 42(5), 1113-1116
 behavioral response; 42(3), 496-503
 bile salt hydrolase; 42(3), 671-677
 bioactive compounds; 42(1), 8-14
 bio-composite; 42(3), 585-589
 biodegradation; 42(2), 321-328; 42(2), 406-414
 biodiversity index; 42(4), 819-829
 biofilm formation; 42(3), 515-520

biofilm penetration study; 42(2), 248-254
 biological control; 42(4), 725-733
 biosurfactant; 42(1), 101-108; 42(2), 406-414
 bitumen; 42(6), 1360-1367
 black cumin seed cake; 42(1), 15-20
 black rice bran oil; 42(3), 645-651
 bladder management; 42(4), 734-738
 blood glucose levels; 42(4), 897-909
 bone strength; 42(5), 1113-1116
 brainstorming; 42(4), 771-779
 brazilin; 42(1), 196-202
 breeding success; 42(2), 274-279
 Bresse; 42(4), 759-765
 brownies; 42(5), 1027-1033
 bus service quality; 42(3), 660-670
 bus; 42(6), 1407-1413
 butter catfish; 42(6), 1253-1258

C

cabin crew; 42(1), 73-80
 cadmium, micronutrients; 42(2), 447-453
Caesalpinia sappan heartwood; 42(1), 196-202
 cage density; 42(5), 1113-1116
Caliciaceae; 42(3), 504-514
 callus; 42(5), 1000-1006
Calopogonium mucunoides; 42(4), 858-864
Candida albicans; 42(2), 248-254; 42(2), 299-304
 candidiasis; 42(2), 299-304
 cannibalism; 42(1), 139-145
 canning; 42(3), 688-696
 capon; 42(4), 759-765
 caponizing tool; 42(4), 759-765
 carbohydrate binding modules; 42(2), 461-467
 carbon fiber; 42(4), 811-818
 carboxymethyl cellulose; 42(2), 454-460
 carcass quality; 42(1), 123-131
 cassava starch; 42(2), 321-328
 castration; 42(4), 759-765
 cathode ray tube; 42(4), 739-746
 cationic lipid; 42(1), 213-221
 cell expansion; 42(2), 461-467
 cell phone; 42(1), 65-72
 cellulose fiber; 42(2), 461-467
 cellulose synthesis; 42(2), 461-467
Cercospora; 42(4), 935-940
 chalcone; 42(4), 802-810
 chaos theory; 42(3), 678-687
 characteristic function; 42(5), 1125-1134
 chemical composition; 42(1), 117-122
 children; 42(3), 721-724
 chitosan; 42(6), 1207-1214
 chi-square; 42(1), 65-72
 chlorhexidine; 42(2), 248-254
 chlorophyll removal; 42(5), 1084-1090
 cholesterol; 42(1), 213-221; 42(3), 671-676
Chromolaena odorata; 42(5), 1084-1090
 Chua's circuit; 42(3), 678-687
 cinnamon oil; 42(2), 248-254
 circuit analysis; 42(3), 678-687
 citronella oil; 42(5), 1106-1112
 city-bus; 42(6), 1407-1413
 city-bus assessment; 42(6), 1407-1413

climate change; 42(5), 957-964
 climate impacts; 42(5), 957-964
 clinical trials; 42(2), 305-313
 clinical wastes; 42(6), 1294-1303
 closed-form formula; 42(2), 424-429; 42(4), 836-843
 clycosin; 42(2), 359-364
 coal dust; 42(3), 557-563
 Cobalt-titania; 42(5), 1147-1155
Cocos nucifera; 42(3), 585-589
 collagen synthesis; 42(5), 1091-1097
 color; 42(1), 27-34
 combined microwave frying; 42(1), 203-212
 common habits; 42(1), 65-72
 comply; 42(3), 585-589
 composite leaf spring; 42(4), 811-818
 composite; 42(1), 180-187
 condensed tannin; 42(1), 132-138
 conditional expectation; 42(2), 424-429; 42(4), 836-843
 conidia; 42(4), 935-940
 conservation; 42(4), 819-829
 consortium; 42(2), 406-414
 continuous functions; 42(1), 146-151
 convective boundary condition; 42(3), 487-495
 cooling effect; 42(1), 50-56
 cooperation; 42(4), 889-896
 coordination; 42(2), 346-352
 corosolic acid; 42(2), 314-320
 corrosion; 42(3), 637-644
 corticosterone; 42(6), 1248-1252
 Coulomb criterion; 42(2), 339-345
 count data; 42(1), 152-162
 covariance matrix; 42(3), 533-548
 cowpea; 42(3), 688-696
 co-crystal; 42(1), 188-195
 co-driving score; 42(3), 496-503
 co-driving; 42(3), 496-503
 CPUE; 42(4), 795-801
 crude oil prices; 42(6), 1221-1226
 cushion foam; 42(2), 321-328
 cutlets; 42(1), 15-20
 cycad; 42(2), 365-370
Cyclea barbata; 42(6), 1197-1206
 cyclic degradation; 42(5), 948-956
 cyclical pattern; 42(2), 398-405
 cycling; 42(6), 1227-1232
Cyclosorus afer; 42(4), 858-864
cytochrome oxidase subunit I; 42(3), 573-584
 cytokinin; 42(5), 1000-1006
 cytotoxicity; 42(6), 1207-1214

D

2D electrophoresis; 42(3), 477-486
 2-D resistivity; 42(2), 292-298
 dairy cow; 42(4), 766-770
Daldinia concentrica; 42(5), 1016-1020
 dam-break; 42(3), 564-572
 debriefing method; 42(1), 73-80
 decision making; 42(2), 329-338
 DEE; 42(5), 991-999
 degree of substitution; 42(2), 454-460
 demand modeling; 42(5), 1071-1076
Dendrobium nobile; 42(6), 1304-1309

depolymerization; 42(1), 132-138
 depression; 42(3), 714-720
 dermal delivery; 42(6), 1171-1186
 desulfo-glucosinolate; 42(3), 549-556
 dexamethasone; 42(3), 477-486
 diabetes; 42(2), 314-320
 diabetic rats; 42(1), 35-41
 different salts; 42(5), 1045-1052
 differential transform method; 42(1), 81-94
 dip-coating; 42(4), 923-927
 direct scarlet 4BS; 42(1), 21-26
 direct shear test; 42(5), 948-956
 dispersion; 42(3), 557-563
 diverging channel; 42(2), 415-423
 diversity; 42(5), 1065-1070
 DNA barcode; 42(6), 1197-1206
 DNA marker; 42(5), 1065-1070
 dog; 42(3), 608-614
 domestic air passengers; 42(5), 1071-1076
 dopamine D2 receptor; 42(4), 928-934
 dragonfly; 42(5), 965-966
 driver distraction; 42(1), 222-228
 drying; 42(6), 1279-1285
 dusty fluid; 42(3), 487-495
 D-optimality; 42(6), 1259-1271

E

eco-friendly; 42(5), 1117-1124
 eggplant; 42(5), 1045-1052
 elastic moduli; 42(4), 739-746
 elderly; 42(2), 346-352
 electrical resistivity tomography (ERT); 42(4), 844-849
 electrical resistivity; 42(6), 1326-1333; 42(6), 1344-1351
 emblica; 42(2), 305-313
 emission; 42(3), 557-563
 emissions; 42(5), 991-999
 emulsion; 42(6), 1164-1170
 encysted *Stephanostomum*; 42(1), 42-49
 endurance performance; 42(6), 1227-1232
 energy conservation; 42(2), 329-338
 energy/truss, TE-AODV; 42(4), 889-896
 engine performance; 42(5), 991-999
 enteral nutrition; 42(6), 1286-1293
 enterococcus; 42(3), 549-556
 entrepot; 42(6), 1310-1318
Epipactis flava; 42(5), 1065-1070
 Epstein-Barr virus nuclear antigen 1 protein; 42(4), 802-810
 ERT; 42(6), 1344-1351
 estradiol; 42(1), 95-100
 ethylene; 42(6), 1187-1196
 excretory and secretory (ES); 42(6), 1215-1220
 exercise training; 42(6), 1227-1232
 experimental design; 42(6), 1259-1271
 expired naproxen; 42(4), 917-922
 extended CIR process; 42(2), 424-429
 extraction technology; 42(5), 1016-1020
 eye; 42(3), 608-614

F

(1,0,0)-F-Face magic mean graph; 42(6), 1397-1406
 (1,0,0)-F-Face magic mean labeling; 42(6), 1397-1406
 factor analysis; 42(3), 660-670

falls; 42(2), 346-352; 42(5), 984-990
 farmer's cheese (tvorog); 42(2), 353-358
 fat accumulation; 42(5), 975-983
 fatty acids; 42(1), 123-131
 fault development; 42(6), 1334-1343
 feed intake; 42(4), 753-758
 feedback; 42(1), 236-247
 Fenton-like catalyst; 42(1), 21-26
 fermented total mixed ration; 42(4), 753-758
Ferulago angulata; 42(1), 8-14
 fiber dimensions; 42(1), 117-122
 fiber geometry; 42(3), 637-644
 fiber; 42(6), 1279-1285
 Fibonacci numbers; 42(5), 1077-1083
 finite difference method; 42(3), 590-595
 finite element analysis; 42(4), 811-818
 Finite Volume Method (FVM); 42(3), 564-572
 fish composition; 42(4), 795-801
 fish species; 42(4), 795-801
 five-axis milling; 42(1), 163-171
 flavonoids; 42(5), 1084-1090; 42(6), 1239-1247
 flexural capacity; 42(3), 637-644
 flies; 42(6), 1215-1220
 flotation; 42(3), 631-636
 flour mixes; 42(5), 1027-1033
 flow analysis; 42(1), 1-7
 flow analysis conferences; 42(1), 1-7
 flow injection analysis; 42(1), 1-7
 FMA; 42(6), 1368-1376
 foam; 42(6), 1207-1214
 follicular and luteal phases; 42(4), 941-947
 Franz diffusion apparatus; 42(2), 248-254
 Frobenius number; 42(5), 1077-1083
 FUT2 gene; 42(5), 1021-1026
 fuzzy entropy; 42(6), 1377-1388
 fuzzy set; 42(6), 1377-1388

G

G queue; 42(1), 236-247
 GABA; 42(5), 1053-1058
 GABA receptor; 42(5), 1053-1058
 ganglion cells; 42(3), 596-601
 gas chromatography; 42(6), 1164-1170
 gasometric; 42(4), 917-922
 gel formulation; 42(6), 1389-1396
 gelatin; 42(1), 101-108; 42(1), 180-187
 generalist predator; 42(4), 725-733
 generalized open set; 42(1), 146-151
 generation; 42(5), 1071-1076
 genetic algorithm; 42(6), 1259-1271
 genetic diversity; 42(3), 573-584
 geochemistry; 42(3), 621-630
 germ cell; 42(4), 873-878
 ginger extract; 42(4), 850-857
 glass cullet; 42(5), 1117-1124
 glass fiber; 42(4), 811-818
 glibenclamide; 42(6), 1239-1247
 glucose uptake; 42(5), 975-983
 glutinous black rice bran; 42(2), 284-291
 glycosyl hydrolase; 42(3), 549-556
 goats; 42(4), 753-758
 GPS; 42(1), 222-228

graft copolymer; 42(3), 697-704
 gravity model; 42(6), 1326-1333
 grazing toroidal approximation; 42(1), 163-171
 green construction; 42(1), 50-56
 green roof; 42(1), 50-56
 green structures; 42(1), 50-56
 green synthesis; 42(1), 21-26
 ground subsurface materials; 42(4), 780-787
 groundwater; 42(2), 292-298
 growth performance; 42(6), 1253-1258
 Gulf of Thailand; 42(3), 504-514
 gymnosperms; 42(2), 365-370
Gynacantha limalis; 42(5), 965-966

H

habitat use; 42(3), 521-532
 hatchery-reared broodstock; 42(1), 95-100
 healthcare management; 42(5), 1059-1064
 heat transfer; 42(2), 371-382; 42(2), 391-397
 heat treatment efficiency; 42(3), 688-696
 heterocyclic compounds; 42(1), 57-64
Hevea brasiliensis; 42(6), 1187-1196
 Hg-IIPs; 42(5), 1135-1141
 hidden attractor; 42(3), 678-687
 Hirschsprung disease (HSCR); 42(3), 596-601
Holothuria scabra; 42(1), 109-116
 hot dry season; 42(3), 521-532
 HPLC; 42(2), 314-320
 Huai Hin Lat Formation; 42(3), 621-630
 human disturbance; 42(2), 274-279
 humic acid; 42(2), 439-446
 hybrid method; 42(3), 590-595
 hydrocarbon; 42(3), 621-630

I

iconographic correlation; 42(6), 1286-1293
 identification; 42(6), 1215-1220
 IL-1 β secretion inhibition; 42(6), 1352-1359
 impedance; 42(4), 917-922
 inclined channel; 42(2), 371-382
 indirect conductivity; 42(6), 1164-1170
 indole; 42(3), 515-520
 infant feces; 42(3), 671-677
 infinite matrix; 42(2), 263-273
 inoculation; 42(4), 935-940
 insulin; 42(6), 1239-1247
 interaction; 42(4), 850-857
 internal transcribed spacer; 42(3), 504-514
 intraocular; 42(3), 608-614
 inulin; 42(6), 1279-1285
 invasive plants; 42(4), 858-864
 investigation depth; 42(4), 780-787
 iron fortification; 42(5), 1027-1033
 iron nanoparticles; 42(1), 21-26

J

Japanese contributions; 42(1), 1-7
 Jerusalem artichoke; 42(6), 1279-1285

K

Kaempferia parviflora; 42(6), 1239-1247
 Kansei; 42(1), 222-228

kaolin; 42(2), 321-328
 kerogen; 42(3), 621-630
 Khon Kaen University; 42(2), 274-279
 Kudat; 42(1), 109-116
 Kunak; 42(1), 109-116

L

labeling; 42(6), 1397-1406
 lactic acid bacteria; 42(3), 671-677
 lacunary sequence; 42(2), 263-273
 Lafia; 42(4), 858-864
Lagerstroemia; 42(2), 314-320
 lameness; 42(4), 766-770
 laparoscopy vacuum testectomy; 42(4), 759-765
 Large-eddy simulation (LES); 42(3), 564-572
 Lattice Boltzmann Method (LBM); 42(3), 564-572
 laying hen; 42(5), 1113-1116
 LC space; 42(1), 146-151
 LC-MS/MS; 42(3), 477-486; 42(4), 941-947
 lead oxide glass; 42(4), 739-746
 LED technology adoption; 42(2), 329-338
 lemongrass gel; 42(2), 299-304
 lemongrass oil; 42(5), 1106-1112
 lifting; 42(6), 1272-1278
 lighting conditions; 42(4), 935-940
 lignite; 42(4), 844-849
 limestone forest; 42(3), 521-532
 Lindelof; 42(1), 146-151
 linear intersection chords distributions; 42(5), 1156-1163
 lipid peroxidation; 42(1), 172-179
 lipolysis; 42(5), 1053-1058
 lipolysis induction; 42(2), 284-291
 lipopeptides; 42(1), 101-108
 loads on the spine; 42(6), 1272-1278
 longitudinal data; 42(4), 897-909
 long-jawed spider; 42(4), 725-733
 lotus stamen; 42(2), 371-382
 low back pain; 42(6), 1272-1278
 low sintering temperature; 42(5), 1117-1124
 Lucas numbers; 42(5), 1077-1083
 lumbopelvic movement; 42(6), 1272-1278
 lupeol; 42(2), 359-364
 lycopene content; 42(1), 27-349

M

MADM; 42(6), 1377-1388
 Mae Klong River Basin; 42(4), 879-888
 Mae On; 42(6), 1326-1333
 malachite; 42(3), 631-636
 Malaysia; 42(1), 222-228; 42(3), 721-724
 maleic anhydride; 42(3), 697-704
 MANETs; 42(4), 889-896
 mangosteen pericarps; 42(1), 132-138
 mangosteen rind; 42(2), 468-476
 mangrove; 42(2), 430-438
 mangrove foliose lichens; 42(3), 504-514
 Mann-Kendall test; 42(4), 879-888
 marine incursion; 42(2), 430-438
 MASW; 42(6), 1326-1333; 42(6), 1344-1351
 matrix transformation; 42(2), 263-273
 matrix-matrix multiplication; 42(6), 1368-1376
 Mauritius; 42(3), 660-670

- maximal Lindelof; 42(1), 146-151
 maximum likelihood estimation; 42(1), 152-162;
 42(5), 1125-1134
 mean cyclic path; 42(5), 948-956
 mean stress; 42(2), 339-345
 meandering river course; 42(2), 430-438
 median; 42(5), 1125-1134
 medium; 42(4), 935-940
 Megophryidae; 42(5), 1034-1044
 melanin index; 42(2), 305-313
 melanogenesis inhibitory activity; 42(2), 371-382
 membrane; 42(5), 967-974
 menopause; 42(1), 172-179
 mercury; 42(5), 1135-1141
 metabolic activity; 42(6), 1164-1170
 metal-free synthesis; 42(1), 57-64
 meteorology; 42(5), 957-964
 Methamphetamine; 42(4), 928-934
 Metro Manila; 42(6), 1233-1238
 MgB₂; 42(5), 1142-1146
 MHD; 42(2), 415-423
 mice; 42(3), 477-486
 microanatomy; 42(4), 873-878
 microbial distribution; 42(1), 65-72
 microhardness; 42(3), 705-713
 microstructure; 42(6), 1294-1303
 microwave time; 42(1), 203-212
 microwave-assisted extraction; 42(6), 1304-1309
 migration; 42(3), 573-584
 mild cognitive impairment; 42(2), 346-352
 milk whey; 42(2), 255-262
 mineral value; 42(1), 15-20
 mitochondrial DNA; 42(3), 573-584
 mixed Poisson distribution; 42(1), 152-162
 mode; 42(5), 1125-1134
 model; 42(5), 1156-1163
 modeling of basin evolution; 42(6), 1334-1343
 modification; 42(6), 1360-1367
 modified cage; 42(5), 1113-1116
 molecular data; 42(4), 747-752
 molecular docking; 42(4), 802-810
 molecular docking calculation; 42(2), 359-364
 molecular dynamics simulation; 42(4), 802-810
Monochoria; 42(4), 747-752
 Monte Carlo simulations; 42(5), 1034-1044
 moonseed family; 42(6), 1197-1206
 morphology; 42(6), 1197-1206
 morphometric analyses; 42(5), 1034-1044
Morus alba; 42(6), 1319-1325
 motility; 42(3), 652-659
 motivation contexts; 42(3), 496-503
 motorcycles; 42(3), 721-724
 multiple sclerosis; 42(5), 1059-1064
 multiresponse nonparametric regression; 42(3), 533-548
 multistep differential transform method; 42(1), 81-94
 multiwall carbon nanotubes; 42(6), 1360-1367
 multi-smoothing parameters; 42(4), 897-909
 mutagenesis; 42(4), 910-916
Mycosporium cambodgensis; 42(4), 865-872
- N**
- Nakhon Basin; 42(6), 1334-1343
 nanocomposite; 42(2), 439-446
 nanoemulsion; 42(2), 305-313
 nanofiber; 42(1), 101-108
 nanofibrillated cellulose; 42(2), 468-476
 nanotechnology; 42(4), 923-927
 NARIT; 42(6), 1344-1351
 natural products; 42(4), 802-810
 natural rubber; 42(3), 697-704
 neurogenic bladder; 42(4), 734-738
 new species; 42(4), 747-752
 new strains; 42(6), 1294-1303
 new weighted Lindley distribution; 42(1), 152-162
 Nickel-titania; 42(5), 1147-1155
 nitrile; 42(3), 549-556
 Nong Han wetland; 42(4), 795-801
 nonlinear plane autonomous systems; 42(1), 81-94
 nonlinear resistors; 42(3), 678-687
 non-indole-producing bacteria; 42(3), 515-520
 non-return rate; 42(3), 652-659
 np-ANOVA; 42(5), 1034-1044
 numerical solutions; 42(3), 487-495
 nutrient digestibility; 42(4), 753-758
- O**
- ω -component; 42(2), 280-283
 ω -connected; 42(2), 280-283
 ω -open set; 42(2), 280-283
 ω -separated; 42(2), 280-283
O. javanicus; 42(1), 42-49
 observation, pillion; 42(3), 721-724
 Odonata; 42(5), 965-966
 oil; 42(5), 1084-1090
 oil type; 42(2), 468-476
 omega-9; 42(6), 1248-1252
 onion peel; 42(1), 57-64
 onion peel ash; 42(3), 602-607
 optimization; 42(3), 688-696; 42(6), 1286-1293;
 42(6), 1360-1367
 order statistics; 42(5), 1125-1134
 organoleptic evaluation; 42(2), 255-262
 Orlicz function; 42(2), 263-273
 orthogonal test; 42(5), 1016-1020
Oryza sativa; 42(5), 1007-1015
 osmotic stress; 42(5), 1045-1052
 O-U process; 42(4), 836-843
 ovariectomy; 42(1), 172-179
 overdispersion; 42(1), 152-162
 oxalic acid; 42(1), 188-195
 oxide copper ore; 42(3), 631-636
- P**
- paddy field; 42(3), 521-532; 42(4), 725-733
 palynology; 42(2), 430-438
 pancreatic proteome; 42(3), 477-486
 Papua Islands; 42(5), 1071-1076
 particulate suspension; 42(2), 415-423
 patchouli oil; 42(5), 1106-1112
 PDGF-BB; 42(1), 180-187
 penalized spline estimator; 42(4), 897-909
 penetrating field; 42(5), 1142-1146
Pennisetum glaucum stalks; 42(1), 117-122
 petrography; 42(3), 621-630

pharmacognostic specification; 42(1), 196-202
 phase inversion; 42(5), 967-974
 phase separation; 42(2), 468-476
 phase-plane method; 42(1), 81-94
 phenolic; 42(6), 1279-1285
 photocatalyst; 42(2), 439-446
 photocatalysts; 42(5), 1147-1155
 photocatalytic degradation; 42(2), 439-446
 phylogenetic tree; 42(2), 365-370
 phylogenetic tree; 42(6), 1197-1206
 Physciaceae; 42(3), 504-514
 physicochemical parameter; 42(1), 109-116
 phytosociological attributes; 42(4), 819-829
 Pickering emulsion; 42(2), 468-476
 picric acid dye; 42(5), 1147-1155
 plant cell walls; 42(2), 461-467
 plant growth; 42(1), 229-235
 plant nutrient; 42(1), 229-235
 plant regeneration; 42(5), 1000-1006
 plasma membrane integrity; 42(3), 652-659
 plywood; 42(3), 585-589
 poly (lactic acid); 42(3), 697-704; 42(6), 1207-1214
 polycarbonate; 42(5), 967-974
 polymeric bitumen; 42(6), 1360-1367
 Pontederiaceae; 42(4), 747-752
 population; 42(5), 1065-1070
 population structure; 42(3), 573-584
 porcine oviductal epithelial cells (pOEC); 42(4), 941-947
 porous medium; 42(2), 371-382; 42(2), 391-397
Portunus pelagicus; 42(1), 139-145
 postural sway; 42(5), 984-990
 power-law; 42(5), 1142-1146
 Pran Buri River; 42(2), 430-438
 pre-existing fabric; 42(6), 1334-1343
 pregnancy rate; 42(3), 652-659
 prior austenite grain size; 42(5), 1156-1163
 probiotics; 42(3), 671-677
 product design; 42(4), 771-779
 profitability; 42(2), 329-338
 prolactin; 42(6), 1248-1252
 proniosomes; 42(6), 1171-1186
Propionibacterium acnes; 42(5), 1106-1112
 protective effect; 42(2), 371-382
 protein profile; 42(6), 1215-1220
 protein release; 42(1), 180-187
 proteomics; 42(6), 1187-1196
 pro-collagen; 42(5), 1007-1015
Pterocarpus indicus; 42(2), 359-364
 purity; 42(2), 454-460
 purple corn extract; 42(3), 645-651
 P- and S-wave seismic refraction; 42(4), 780-787

Q

quality; 42(2), 353-358
 quality control thresholds; 42(5), 1059-1064
 quality function deployment; 42(4), 771-779
 quantile function; 42(5), 1125-1134
 quantum chemical method; 42(4), 917-922

R

radiation shielding material; 42(4), 739-746
 rainfall; 42(4), 879-888

randomized double-blind; 42(2), 305-313
 rat model; 42(2), 299-304
 reactive blend; 42(3), 697-704
 reactive oxygen species; 42(3), 615-620
 reagent dosage; 42(3), 631-636
 recovery rate; 42(3), 652-659
 recyclable catalytic system; 42(3), 602-607
 recycled glass; 42(4), 739-746
 regression with autocorrelated errors; 42(6), 1221-1226
 removal; 42(5), 1135-1141
 repairing; 42(3), 637-644
 reproductive pattern; 42(1), 109-116
 reproductive performance; 42(1), 95-100; 42(4), 766-770
 reproductive system; 42(4), 873-878
 resource-based routing; 42(4), 889-896
 response surface methodology; 42(1), 8-14; 42(3), 688-696;
 42(6), 1286-1293
 resuscitation training; 42(1), 73-80
 retrieval queue; 42(1), 236-247
 RET-protooncogene; 42(3), 596-601
 rheology; 42(6), 1389-1396
 rheophytic orchid; 42(5), 1065-1070
 rice (*Oryza sativa* L.); 42(2), 447-453
 rice bran; 42(5), 1007-1015
 rice bran oil; 42(1), 123-131
 rice growing season; 42(4), 725-733
 rice stubble; 42(2), 454-460
 Riga plate; 42(3), 487-495
 rosmarinic acid; 42(3), 615-620
 rotating disks flow; 42(2), 391-397
 rotating system; 42(2), 371-382
 R^h moment; 42(5), 1125-1134
 rubber latex; 42(6), 1187-1196
 rumen protected fat; 42(1), 123-131
 ruminal fermentation; 42(4), 753-758

S

safety; 42(3), 645-651; 42(3), 721-724
 salinity; 42(1), 95-100
 sampling distributions; 42(5), 1059-1064
 sand-steel interface; 42(5), 948-956
 saponins; 42(6), 1389-1396
 satisfaction; 42(3), 660-670
 sausage production; 42(2), 255-262
 scallop height; 42(1), 163-171
 scrapped vehicles; 42(6), 1233-1238
 screening; 42(1), 229-235
 SDS-PAGE; 42(4), 941-947
 seasonal adjustment; 42(2), 398-405
 secretion proteins; 42(4), 941-947
 sediment characteristic; 42(4), 780-787
 sediment soil; 42(5), 1117-1124
 seed germination; 42(5), 1045-1052
 seismic reflection; 42(6), 1326-1333
 selenium; 42(2), 353-358
 self-potential; 42(2), 292-298
 seminiferous epithelium; 42(4), 928-934
 Sen's slope test; 42(4), 879-888
 sensory property; 42(1), 27-34
 serum compatibility; 42(1), 213-221
 shear strength; 42(2), 339-345

shear stress – controlled tests; 42(5), 948-956
 shear-wave splitting; 42(5), 1098-1105
 shear-wave velocity; 42(6), 1344-1351
 shelf life; 42(3), 645-651
 shelter; 42(1), 139-145
 shifted legendre polynomials; 42(3), 590-595
 shooting numerical method; 42(2), 391-397
 signaling molecule; 42(3), 515-520
 simulation learning; 42(1), 73-80
 simulation techniques; 42(5), 1059-1064
 single nucleotide polymorphisms (SNPs); 42(3), 596-601
 Sinlek brown rice; 42(5), 1027-1033
 skin friction; 42(2), 391-397
 skin whitening; 42(2), 305-313
 skipjack tuna prices; 42(2), 398-405
 slow evaporation; 42(1), 188-195
 small holder farm; 42(4), 766-770
 smoothing parameter; 42(3), 533-548
 sodium oleate; 42(3), 631-636
 soft bitopology; 42(4), 830-835
 soft separation axioms; 42(4), 830-835
 soft set; 42(4), 830-835
 soft topology; 42(4), 830-835
 soil slurry; 42(2), 406-414
Solanum torvum; 42(5), 975-983
 solar cell; 42(4), 923-927
 solvent extraction; 42(1), 132-138
 sol-gel; 42(4), 923-927
 Southern Thai; 42(5), 1021-1026
 southern Thailand; 42(5), 1034-1044
 SOX10; 42(3), 596-601
 specific ion toxicity; 42(5), 1045-1052
 spermatogenesis; 42(4), 928-934
 spinal cord injury; 42(4), 734-738
 spline estimator; 42(3), 533-548
 spline interpolation; 42(2), 398-405
 spotted scat; 42(1), 95-100
Staphylococcus epidermidis; 42(5), 1106-1112
 starch-based foam; 42(2), 321-328
 stem extract; 42(6), 1319-1325
 sterilization value; 42(3), 688-696
 storage pile; 42(3), 557-563
 strain energy density; 42(2), 339-345
 Strassen's algorithm; 42(6), 1368-1376
 stratigraphic facies interpretation; 42(6), 1334-1343
 straw mushroom; 42(4), 910-916
 stress; 42(3), 714-720
 stretching sheet; 42(3), 487-495
 structural equation modeling; 42(3), 660-670
 subcritical fluid extraction; 42(5), 1007-1015
 Sungai Batu; 42(6), 1310-1318
 supercharging syngas; 42(5), 991-999
 superconducting shield; 42(5), 1142-1146
 superhydrophobic; 42(4), 923-927
 surface roughness; 42(3), 705-713
 surface water; 42(2), 292-298
 surfactant biodegradation; 42(4), 788-794
 surfactant combinations; 42(4), 788-794
 survey; 42(1), 65-72
 sustainable energy consumption; 42(2), 329-338
 sway meter; 42(5), 984-990

T

Tachybaptus ruficollis; 42(2), 274-279
 Tafel plot; 42(4), 917-922
 Taguchi; 42(6), 1304-1309
 Taguchi method; 42(3), 705-713
Taraxacum officinale; 42(5), 1000-1006
 TE-AODV; 42(4), 889-896
Tectona grandis; 42(6), 1352-1359
 tectonic setting; 42(5), 1098-1105
 telmisartan; 42(1), 188-195
 testosterone; 42(6), 1248-1252
 tetramethylguanidinium headgroup; 42(1), 213-221
 Texon cutting tool; 42(4), 771-779
 Thai drivers; 42(3), 496-503
 Thai Traditional Medicine; 42(5), 1091-1097
 Thailand; 42(2), 447-453; 42(4), 747-752; 42(5), 957-964;
 42(5), 965-966; 42(5), 1098-1105
 thiazolo and benzothiazolo-[3,2-a]pyrimidine; 42(1), 57-64
 third stage larva; 42(6), 1215-1220
Thunbergia laurifolia; 42(3), 615-620
 time series forecasting; 42(2), 398-405; 42(6), 1221-1226
 time trial; 42(6), 1227-1232
 TiO₂/ZnO; 42(2), 439-446
 tissue engineering scaffold; 42(6), 1207-1214
 Titania; 42(5), 1147-1155
 TLC-densitometry; 42(1), 196-202
 TLC-image analysis; 42(1), 196-202
 TOC; 42(3), 621-630
 tomato; 42(1), 27-34
Toona sinensis; 42(1), 35-41
 toroidal cutter; 42(1), 163-171
 tortoise beetle; 42(4), 873-878
 Torvoside A; 42(5), 975-983
 trading complex; 42(6), 1310-1318
 Train-the-Trainer; 42(1), 73-80
 transdermal delivery; 42(6), 1171-1186
 transfection; 42(1), 213-221
 transmissible venereal tumor; 42(3), 608-614
 trapezoidal rule; 42(3), 590-595
 trend analysis; 42(4), 879-888
 triaxial test; 42(2), 339-345
 tropical forests; 42(4), 819-829
 TTT plots; 42(5), 1125-1134
 tuna prices; 42(6), 1221-1226
 two-layered flow; 42(2), 371-382
 two-phase flow; 42(2), 415-423
 type 2 diabetes patients; 42(4), 897-909

U

ultrasonic-assisted milling; 42(3), 705-713
 ultrasound assisted co-crystallization from solution;
 42(1), 188-195
 unglazed wall tile; 42(5), 1117-1124
 university student; 42(3), 714-720
 UPLC-MS; 42(1), 132-138
 usability; 42(1), 222-228
 used lubricating oil; 42(2), 406-414
 UV; 42(4), 910-916

V

vacuum frying; 42(1), 203-212

value engineering; 42(4), 771-779
VCFs; 42(4), 819-829
vegetation layer; 42(1), 50-56
vehicle sales; 42(6), 1233-1238
vehicle stocks; 42(6), 1233-1238
vehicle survival rate; 42(6), 1233-1238
vesicoureteral reflux; 42(4), 734-738
vetiver; 42(1), 229-235
viable but nonculturable (VBNC); 42(6), 1164-1170
virulence; 42(3), 515-520
vitamins; 42(2), 353-358
Volterra integro differential equations; 42(3), 590-595
Volume of Fluid (VOF); 42(3), 564-572
Volvariella volvacea; 42(4), 910-916

W

Wagyu beef steers; 42(1), 123-131
waste; 42(2), 454-460
waste CDs; 42(5), 967-974
waste water treatment; 42(4), 788-794

wastewater treatment facility; 42(2), 274-279
water bodies; 42(3), 521-532
water quality; 42(6), 1253-1258
water temperature; 42(6), 1253-1258
weak heredity; 42(6), 1259-1271
Weibull distribution; 42(6), 1233-1238
weighted fuzzy knowledge measure; 42(6), 1377-1388
welded micro-alloyed ABS EH36 steel; 42(5), 1156-1163
wetlands; 42(4), 858-864
working breakdown services; 42(1), 236-247

X

xanthan; 42(6), 1389-1396

Y

yield; 42(4), 910-916

Z

Zamia; 42(2), 365-370